Kansas
Municipal Water Use
2010

Kansas Department of Agriculture
Division of Water Resources
109 S.W. 9th St., 2nd Floor
Topeka, KS 66612
(785) 296-3717

U.S. Geological Survey
4821 Quail Crest Place
Lawrence, KS 66049
(785) 842-9909

Equal Opportunity Employers

Cover Photo Credit: Joan Kenny, U.S. Geological Survey

KANSAS MUNICIPAL WATER USE 2010

The Kansas Municipal Water Use publication has been prepared annually since 1987 to show comparative statistics for active public water suppliers that have filed water use reports with the Kansas Department of Agriculture, Division of Water Resources (DWR). Statistics shown in this report include per capita water usage and percent unaccounted for water. Per capita use is shown in gallons per capita per day (GPCD) and is based on water use by residential and commercial customers, public uses, and unaccounted for water. GPCD usage generally excludes water use by large industries and farmsteads using more than 200,000 gallons per year. Percent unaccounted for water (UFW) is calculated as the amount of unsold, unmetered water divided by the total amount of water pumped or purchased.

Average GPCD is calculated for eight different regions of the State so that individual GPCD can be compared to average usage for similar geographic areas. These regions are shown in Figure 1 (see back cover) and correspond to general patterns of precipitation and per capita use. GPCD usage tends to increase from eastern to western Kansas, primarily due to differences in precipitation. GPCD averages also are calculated for different sizes of public water suppliers in the three most populous regions (6, 7, and 8).

Annual data for GPCD usage and percent UFW are shown along with data from the previous four years to provide running 5-year averages. The three tables in this report present data for the years 2006 through 2010:

- Table 1 summarizes 2006 through 2010 GPCD and 5-year average GPCD by region and size group.
- Table 2 shows 2006 through 2010 GPCD and 5-year average GPCD for individual water suppliers that have filed reports during these years.
- Table 3 shows 2006 through 2010 percent UFW and 5-year average percent UFW for individual water suppliers that have filed reports during these years.

These tables do not include reported water use information from wholesale water supply districts, mobile home parks, or water systems that serve fewer than 10 residential connections or seasonal customers. Regional GPCD averages do not include usage by rural water systems unable to separate residential from livestock watering use.

Completion of the annual water use report by personnel at every water supply system is greatly appreciated. The data collected are valuable in administering water rights and marketing contracts, and can be useful for evaluating individual systems' needs. Please contact DWR at (785) 296-3717 with any questions about the water use report program or this publication.

Note: Corrections to reported data (usually population served) from previous years occasionally causes a change in GPCD for a water supplier. For this reason, some GPCD values shown in this report may differ from previously published values for certain water suppliers.

TABLE 1
AVERAGE GPCD USE FOR PUBLIC WATER SUPPLIERS BY REGION AND SIZE
KANSAS, 2006-2010

Region	Year					Average
	2006	2007	2008	2009	2010	
1	293	272	273	228	259	265
2	258	245	241	199	224	233
3	244	241	229	195	223	226
4	188	170	168	156	168	170
5	156	149	142	139	137	145
6-ML	150	135	133	131	139	138
6-S	138	126	121	117	114	123
7-L	147	135	128	124	134	134
7-M	107	101	96	94	98	99
7-S	96	92	89	87	87	90
8-L	130	130	123	122	125	126
8-M	102	98	92	89	93	95
8-S	84	82	81	78	79	81
Kansas	126	119	115	109	114	117

Average gallons per capita per day (GPCD) use includes water sold to residential and commercial customers, metered free uses, and unaccounted for water. GPCD use does not include sales to other suppliers, industries, bulk uses, or farmsteads using more than 200,000 gallons per year.

Refer to Figure 1 for map regions. For this analysis, Regions 6, 7, and 8 were subdivided into size categories. Large (L) utilities serve 10,000 people or more. Medium (M) utilities serve 500 to 9,999 people. Small (S) utilities serve fewer than 500 people.

TABLE 2 ANNUAL AND AVERAGE GPCD USAGE FOR PUBLIC WATER SUPPLIERS KANSAS, 2006-2010							
Public Water Supplier	**Region**	**2006 GPCD**	**2007 GPCD**	**2008 GPCD**	**2009 GPCD**	**2010 GPCD**	**AVG GPCD**
Abbyville	6S	151	120	143	101	111	125
Abilene	7M	154	144	121	147	137	141
Admire	7S	95	75	71	64	69	75
Agenda	7S	90	82	77	86	70	81
Agra	5	103	103	89	91	101	97
Albert	6S	136	115	112	107	125	119
Alexander	5	114	100	78	93	114	100
Allen	7S	58	59	52	56	48	55
Allen Co. RWD #01	8S	47	na	na	na	na	47
Allen Co. RWD #02	8S	na	na	92	na	na	92
Allen Co. RWD #04	8S	126	91	64	101	67	90
Allen Co. RWD #08	8M	128	129	119	121	128	125
Allen Co. RWD #09	8S	na	78	73	na	na	76
Allen Co. RWD #10	8S	69	69	76	75	na	72
Allen Co. RWD #11	8S	81	68	67	63	92	74
Allen Co. RWD #12	8S	99	69	66	61	60	71
Allen Co. RWD #13	8S	68	75	71	102	121	87
Allen Co. RWD #15	8S	59	56	66	61	58	60
Allen Co. RWD #16	8S	123	104	165	129	77	120
Alma	7M	158	117	111	111	107	121
Almena	4	116	105	133	83	84	104
Alta Vista	7S	74	76	73	74	78	75
Altamont	8M	79	76	70	74	79	76
Alton	6S	102	119	138	117	117	119
Altoona	7S	84	85	93	74	63	80
Andale	7M	92	83	82	85	89	86
Anderson Co. RWD #01	8S	90	105	107	101	106	102
Anderson Co. RWD #01C	8M	66	58	64	62	73	65
Anderson Co. RWD #04	8M	107	109	95	94	82	97
Anderson Co. RWD #05	8M	73	76	na	76	72	74
Anthony	6ML	159	156	128	130	131	141
Arcadia	8S	65	60	71	66	67	66
Argonia	7M	115	107	104	93	95	103
Arkansas City	7L	126	125	135	143	144	135
Arlington	6S	113	99	99	83	102	99
Arma	8M	81	77	69	76	71	75
Arnold	4	177	97	125	111	124	127
Ashland	4	232	215	200	213	218	216
Assaria	7S	73	74	72	78	112	82
Atchison	8L	184	226	184	206	199	200
Atchison Co. RWD #01	8S	na	79	na	79	na	79
Atchison Co. RWD #03	8S	76	na	na	na	na	76
Atchison Co. RWD #05C	8M	94	104	105	na	na	101
Atchison Co. RWD #06	8M	na	na	na	na	88	88
Atlanta	7S	63	67	71	62	63	65
Attica	6ML	184	179	215	200	245	205

TABLE 2 ANNUAL AND AVERAGE GPCD USAGE FOR PUBLIC WATER SUPPLIERS KANSAS, 2006-2010							
Public Water Supplier	**Region**	**2006 GPCD**	**2007 GPCD**	**2008 GPCD**	**2009 GPCD**	**2010 GPCD**	**AVG GPCD**
Atwood	2	219	191	186	156	182	187
Augusta	7M	154	146	186	169	168	165
Aurora	7S	86	86	83	67	83	81
Axtell	7S	83	80	77	77	77	79
Baldwin	8M	110	100	82	88	96	95
Barber Co. RWD #01	6S	206	189	186	203	198	196
Barber Co. RWD #02	6S	na	na	na	na	449	449
Barber Co. RWD #03	6S	73	79	78	85	78	79
Barnard	6S	69	54	40	41	70	55
Barnes	7S	165	159	145	132	115	143
Bartlett	8S	na	78	na	na	100	89
Barton Co. RWD #01	6S	109	81	88	86	93	91
Barton Co. RWD #02	6ML	39	47	57	37	45	45
Barton Hills WD	6S	51	46	42	40	33	42
Baxter Springs	8M	151	132	122	124	123	130
Bazine	4	123	99	97	90	115	105
Beattie	7S	102	97	96	92	81	94
Bel Aire	7M	122	106	93	94	114	106
Belle Plaine	7M	104	96	95	97	105	99
Belleville	7M	160	141	154	154	157	153
Beloit	6ML	100	90	80	84	84	88
Belpre	5	122	110	109	107	130	116
Belvidere	5	222	198	224	214	297	231
Belvue	7S	108	96	88	84	72	90
Bennington	7M	86	86	89	89	90	88
Benton	7M	86	88	83	72	74	81
Bern	7S	99	103	105	101	117	105
Beverly	6S	94	88	66	70	87	81
Bird City	1	332	400	390	264	275	332
Bison	5	117	na	78	94	89	95
Blue Mound	8S	95	72	62	61	67	71
Blue Rapids	7M	146	138	122	121	132	132
Blue River Hills Improvement	7S	108	90	90	96	101	97
Bluff City	6S	91	108	143	82	95	104
Bogue	4	208	211	163	148	198	186
Bonner Springs	8M	155	147	155	141	144	148
Bourbon Co. RWD #02C	8M	89	90	92	97	105	95
Bourbon Co. RWD #04	8M	164	170	126	117	122	140
Brewster	2	333	318	287	199	227	273
Bronson	8S	74	76	71	69	77	73
Brown Co. RWD #01	8M	89	92	97	84	103	93
Brown Co. RWD #02	8M	91	76	93	84	115	92
Brownell	4	89	86	84	141	107	101
Bucklin	4	209	175	147	139	148	164
Buffalo	7S	119	112	100	108	56	99
Buhler	6ML	144	117	111	120	130	124

TABLE 2 ANNUAL AND AVERAGE GPCD USAGE FOR PUBLIC WATER SUPPLIERS KANSAS, 2006-2010							
Public Water Supplier	**Region**	**2006 GPCD**	**2007 GPCD**	**2008 GPCD**	**2009 GPCD**	**2010 GPCD**	**AVG GPCD**
Bunker Hill	6S	106	106	92	100	101	101
Burden	7M	97	92	94	85	97	93
Burdett	5	166	151	191	134	169	162
Burlingame	7M	90	88	73	82	83	83
Burlington	7M	137	115	102	98	113	113
Burns	7S	73	68	63	68	67	68
Burr Oak	6S	94	102	106	131	108	108
Burrton	7M	98	93	82	81	86	88
Bushton	6S	173	122	123	109	127	131
Butler Co. RWD #01	7M	94	90	93	82	84	89
Butler Co. RWD #02	7M	89	133	68	67	82	88
Butler Co. RWD #03	7M	67	71	73	74	85	74
Butler Co. RWD #04	7M	69	na	na	na	na	69
Butler Co. RWD #05	7M	109	74	80	73	74	82
Butler Co. RWD #06	7M	76	70	80	73	78	75
Butler Co. RWD #07	7M	69	70	65	63	67	67
Butler Co. RWD #08	7M	75	64	71	69	70	70
Byron	7S	253	219	204	200	146	204
Caldwell	7M	101	85	87	94	98	93
Cambridge	7S	54	60	55	62	61	58
Caney	7M	159	140	126	122	128	135
Canton	7M	127	111	96	93	106	107
Carbondale	7M	65	83	84	104	85	84
Cassoday	7S	80	72	71	89	100	82
Cawker City	6S	164	184	159	134	127	154
Cedar Point	7S	57	72	100	77	67	75
Cedar Vale	7M	91	79	68	67	na	76
Centralia	7M	88	83	79	79	77	81
Chanute	8M	139	130	112	102	104	117
Chapman	7M	162	143	146	160	158	154
Chase	6S	116	117	103	129	123	118
Chase Co. RWD #01	7S	83	92	na	97	na	91
Chautauqua	7S	98	na	na	na	80	89
Chautauqua Co. RWD #01	7S	57	48	69	70	65	62
Chautauqua Co. RWD #02	7S	100	98	99	90	101	98
Chautauqua Co. RWD #03	7S	93	82	na	na	81	85
Cheney	7M	171	158	126	139	155	150
Cherokee	8M	105	91	85	80	72	87
Cherokee Co. RWD #01	8M	133	119	138	122	102	123
Cherokee Co. RWD #02	8M	110	91	87	82	85	91
Cherokee Co. RWD #03	8M	127	132	162	146	162	146
Cherokee Co. RWD #04	8M	102	106	101	108	117	107
Cherokee Co. RWD #05	8S	68	59	56	55	59	59
Cherokee Co. RWD #06	8S	na	na	na	58	52	55
Cherokee Co. RWD #07	8S	81	97	103	97	98	95
Cherokee Co. RWD #08	8M	75	72	65	60	68	68

TABLE 2 ANNUAL AND AVERAGE GPCD USAGE FOR PUBLIC WATER SUPPLIERS KANSAS, 2006-2010							
Public Water Supplier	**Region**	**2006 GPCD**	**2007 GPCD**	**2008 GPCD**	**2009 GPCD**	**2010 GPCD**	**AVG GPCD**
Cherryvale	7M	96	95	84	84	90	90
Chetopa	8M	117	103	109	113	120	112
Chicopee Rural Water	8S	94	107	81	76	72	86
Cimarron	3	324	387	299	258	275	309
Circleville	7S	56	57	61	61	55	58
Claflin	6ML	143	131	117	123	134	130
Clay Center	7M	109	99	125	119	166	124
Clay Co. RWD #01	7S	155	158	154	180	221	174
Clay Co. RWD #02	7M	106	90	82	62	68	82
Clayton	4	96	86	87	93	100	92
Clearwater	7M	94	90	81	83	86	87
Clifton	7M	147	137	132	110	108	127
Cloud Co. RWD #01	7S	127	143	128	128	103	126
Clyde	7M	171	148	158	127	126	146
Coal Hollow WD	8S	na	48	42	na	na	45
Coats	6S	146	123	119	112	143	129
Coffey Co. RWD #02	7M	86	81	72	79	68	77
Coffey Co. RWD #03	7M	65	63	57	53	59	59
Coffeyville	7L	218	232	177	154	193	195
Colby	2	337	313	333	277	319	316
Coldwater	5	209	178	165	189	208	190
Collyer	4	135	107	109	89	89	106
Colony	8S	96	88	80	80	84	86
Columbus	8M	118	109	113	112	103	111
Colwich	7M	67	66	59	59	60	62
Comanche Co. RWD #01	5	127	123	129	131	183	139
Comanche Co. RWD #02	5	555	566	678	694	703	639
Concordia	7M	128	129	120	122	125	125
Conway Springs	7M	97	113	93	115	104	104
Coolidge	1	281	282	279	211	280	267
Copeland	3	241	244	270	233	289	255
Corning	7S	92	na	na	na	na	92
Cottonwood Falls	7M	93	96	93	91	117	98
Council Grove	7M	99	91	93	92	90	93
Courtland	7S	134	111	104	104	107	112
Cowley Co. RWD #01	7M	94	91	78	75	77	83
Cowley Co. RWD #02	7M	73	62	60	56	63	63
Cowley Co. RWD #03	7M	125	100	113	99	103	108
Cowley Co. RWD #04	7M	99	85	84	78	98	89
Cowley Co. RWD #05	7M	87	92	95	90	116	96
Cowley Co. RWD #06	7M	83	74	91	75	79	80
Cowley Co. RWD #07	7S	88	85	85	81	127	93
Cowley Co. RWD #08	7S	95	81	86	86	91	88
Crawford Co. RWD #01	8M	123	na	86	116	101	107
Crawford Co. RWD #01C	8M	129	124	102	125	144	125
Crawford Co. RWD #03	8S	87	78	79	71	78	79

TABLE 2 ANNUAL AND AVERAGE GPCD USAGE FOR PUBLIC WATER SUPPLIERS KANSAS, 2006-2010							
Public Water Supplier	**Region**	**2006 GPCD**	**2007 GPCD**	**2008 GPCD**	**2009 GPCD**	**2010 GPCD**	**AVG GPCD**
Crawford Co. RWD #04	8M	89	84	84	87	87	86
Crawford Co. RWD #05	8M	136	128	127	135	179	141
Crawford Co. RWD #06	8M	113	125	104	103	96	108
Crawford Co. RWD #07	8S	65	71	75	64	68	69
Cuba	7S	95	99	91	113	122	104
Cullison	6S	234	223	216	171	237	216
Culver	7S	65	56	50	61	61	59
Cunningham	6S	152	151	150	173	193	164
Damar	5	na	na	na	na	119	119
Dearing	7S	67	70	68	73	78	71
Deerfield	2	159	153	156	137	149	151
Delia	7S	69	76	67	53	na	66
Delphos	7S	125	119	113	126	136	124
Denison	8S	50	52	53	53	na	52
Derby (El Paso Water Co.)	7L	106	93	100	89	102	98
DeSoto	8M	157	186	128	133	155	152
Dexter	7S	113	107	92	67	82	92
Dickinson Co. RWD #01	7M	76	111	96	103	120	101
Dickinson Co. RWD #02	7M	122	116	111	111	111	114
Dighton	3	225	233	229	204	236	225
Dodge City	4	183	259	203	172	164	196
Doniphan Co. RWD #01	8S	79	51	52	44	59	57
Doniphan Co. RWD #02	8S	71	71	78	76	87	77
Doniphan Co. RWD #03	8S	87	95	69	57	59	73
Doniphan Co. RWD #05	8M	na	na	na	81	81	81
Dorrance	6S	106	68	58	50	57	68
Douglas Co. RWD #01	8M	115	101	89	78	91	95
Douglas Co. RWD #02	8M	90	96	75	82	82	85
Douglas Co. RWD #03	7M	94	89	89	78	74	85
Douglas Co. RWD #04	8M	88	84	82	79	81	83
Douglas Co. RWD #05	8M	82	69	62	62	71	69
Douglas Co. RWD #06	8M	93	94	85	75	na	87
Douglass	7M	78	77	75	77	83	78
Downs	6ML	153	141	160	166	160	156
Durham	7S	117	104	97	76	96	98
Dwight	7S	67	77	65	57	73	68
Easton	8S	63	67	74	79	107	78
Edgerton	8M	57	51	52	52	58	54
Edna	8S	78	75	na	71	70	74
Effingham	8M	79	82	77	76	84	80
El Dorado	7L	163	145	169	172	170	164
Elbing	7S	63	64	59	58	58	60
Elgin	7S	179	166	170	153	190	172
Elk City	7S	182	173	193	235	128	182
Elk Co. RWD #01	7S	na	85	130	na	123	113
Elkhart	1	354	331	346	309	343	337

TABLE 2 ANNUAL AND AVERAGE GPCD USAGE FOR PUBLIC WATER SUPPLIERS KANSAS, 2006-2010							
Public Water Supplier	**Region**	**2006 GPCD**	**2007 GPCD**	**2008 GPCD**	**2009 GPCD**	**2010 GPCD**	**AVG GPCD**
Ellinwood	6ML	124	101	100	97	108	106
Ellis	5	97	90	93	91	97	94
Ellis Co. RWD #01	5	83	75	87	85	86	83
Ellis Co. RWD #01C	5	125	na	na	na	na	125
Ellis Co. RWD #03	5	64	57	53	50	56	56
Ellis Co. RWD #06	5	129	109	115	123	141	123
Ellsworth	6ML	146	132	128	130	127	133
Elmdale	7S	148	181	174	131	122	151
Elwood	8M	76	101	100	89	89	91
Emmett	7S	68	na	61	61	61	63
Emporia	7L	179	176	152	147	135	158
Englewood	4	636	607	539	442	398	524
Ensign	3	157	119	128	112	181	139
Enterprise	7M	73	84	80	72	73	76
Erie	8M	110	101	103	91	97	100
Esbon	6S	94	108	93	97	92	97
Eskridge	7M	94	90	93	95	101	95
Eudora	8M	106	89	87	83	86	90
Eureka	7M	124	112	127	116	131	122
Everest	8S	114	112	114	110	156	121
Fall River	7S	70	67	71	66	49	65
Farr Subdivision	2	60	58	65	70	67	64
Finney Co. RWD #01	2	64	55	61	109	114	81
Florence	7M	76	75	73	65	75	73
Fontana	8S	78	na	66	73	64	70
Ford	4	271	265	295	274	249	271
Formoso	6S	75	78	70	83	82	78
Fort Scott	8M	161	156	160	138	128	149
Fowler	3	177	170	168	159	163	167
Frankfort	7M	131	130	138	151	153	141
Franklin Co. RWD #01	8M	72	77	na	na	na	75
Franklin Co. RWD #03	8S	72	65	62	63	60	64
Franklin Co. RWD #04	8M	101	82	78	76	80	83
Franklin Co. RWD #05	8M	81	73	72	65	66	71
Franklin Co. RWD #06	8M	93	94	103	112	96	100
Fredonia	7M	157	158	116	108	88	125
Frontenac	8M	127	118	108	103	103	112
Fulton	8S	67	58	55	54	56	58
Galena	8M	121	121	105	106	100	111
Galesburg	8S	92	92	105	95	81	93
Galva	7M	124	116	101	98	109	110
Garden City	2	214	196	190	179	204	197
Garden Plain	7M	120	89	73	78	94	91
Garden Spot Rentals	2	58	61	76	58	81	67
Gardner	8L	105	98	101	94	96	99
Garnett	8M	108	98	92	83	90	94

TABLE 2 ANNUAL AND AVERAGE GPCD USAGE FOR PUBLIC WATER SUPPLIERS KANSAS, 2006-2010							
Public Water Supplier	**Region**	**2006 GPCD**	**2007 GPCD**	**2008 GPCD**	**2009 GPCD**	**2010 GPCD**	**AVG GPCD**
Gas	8M	74	72	62	66	64	68
Gaylord	6S	208	183	127	106	97	144
Geary Co. RWD #01	7S	105	na	na	na	na	105
Geary Co. RWD #02	7S	157	94	96	93	94	107
Geary Co. RWD #04	7M	99	87	82	80	98	89
Geneseo	6S	111	112	98	83	89	99
Geuda Springs	7S	97	97	95	100	97	97
Girard	8M	123	106	104	104	105	108
Glade	5	94	123	106	99	124	109
Glasco	7S	87	73	73	95	93	84
Glen Elder	6S	174	168	156	145	143	157
Goddard	7M	175	150	137	146	152	152
Goessel	7M	125	120	120	103	120	118
Goff	7S	66	63	66	62	59	63
Goodland	1	317	317	302	258	285	296
Gorham	6S	85	90	84	70	71	80
Gove	3	353	385	302	167	193	280
Grainfield	3	232	249	253	220	222	235
Grandview Plaza	7M	99	92	88	99	81	92
Great Bend	6ML	131	131	130	120	117	126
Greeley	8S	59	57	52	53	58	56
Green	7S	113	84	73	81	79	86
Greenleaf	7S	156	141	123	123	111	131
Greensburg	5	210	223	173	242	259	221
Greenwood Co. RWD #01	7M	81	72	76	65	80	75
Greenwood Co. RWD #02	7M	111	100	102	100	107	104
Greenwood Co. RWD #03	7S	80	80	80	75	85	80
Grenola	7S	75	73	70	65	68	70
Gridley	7S	73	69	71	67	74	71
Grinnell	3	299	287	257	216	242	260
Gypsum	7S	99	90	70	112	94	93
Haddam	7S	72	78	73	101	77	80
Halstead	7M	95	101	94	90	94	95
Hamilton	7S	na	63	69	65	73	68
Hamilton Co. RWD #01	1	181	86	89	87	80	105
Hanover	7M	103	106	106	na	na	105
Hanston	4	246	166	212	194	202	204
Hardtner	6S	186	171	207	189	226	196
Harper	6ML	140	129	119	121	139	130
Harper Co. RWD #04	6S	83	74	104	118	141	104
Harper Co. RWD #05	6S	181	190	na	124	na	165
Hartford	7M	94	89	75	78	70	81
Harvey Co. RWD #01	7M	71	73	71	56	70	68
Harveyville	7S	101	117	84	80	83	93
Haven	6ML	159	137	120	119	124	132
Haviland	5	193	169	185	154	154	171

TABLE 2 ANNUAL AND AVERAGE GPCD USAGE FOR PUBLIC WATER SUPPLIERS KANSAS, 2006-2010							
Public Water Supplier	**Region**	**2006 GPCD**	**2007 GPCD**	**2008 GPCD**	**2009 GPCD**	**2010 GPCD**	**AVG GPCD**
Hays	5	98	96	92	85	91	92
Hays City Suburban	5	156	141	96	138	133	133
Haysville	7L	103	94	86	86	95	93
Hazelton	6S	181	100	134	107	123	129
Herington	7M	130	126	123	110	129	124
Herndon	2	418	389	229	284	410	346
Hesston	7M	191	156	129	131	174	156
Hiawatha	8M	115	118	116	114	112	115
Highland	8M	135	119	108	112	107	116
Hill City	4	219	218	191	226	225	216
Hillsboro	7M	139	147	182	118	105	138
Hoisington	6ML	101	97	98	94	98	98
Holcomb	2	153	142	147	132	143	143
Holton	7M	105	100	108	103	104	104
Holyrood	6S	145	103	113	111	134	121
Hope	7S	104	97	88	89	89	93
Horace	1	130	124	139	137	193	145
Horton	8M	85	92	85	75	87	85
Howard	7M	105	91	83	95	106	96
Howison Heights WD	7S	150	118	114	125	143	130
Hoxie	3	297	286	271	236	258	270
Hoyt	7M	70	73	70	67	63	69
Hugoton	2	333	310	354	315	289	320
Humboldt	8M	116	110	108	110	131	115
Hunter	6S	97	83	84	na	na	88
Hutchinson	6ML	133	126	110	111	165	129
Independence	7L	173	141	147	138	136	147
Ingalls	3	223	158	189	na	260	208
Inman	7M	142	111	113	119	141	125
Iola	8M	113	137	112	106	108	115
Isabel	6S	174	143	127	125	125	139
Iuka	6S	84	74	72	81	84	79
Jackson Co. RWD #01	7M	88	84	75	72	na	80
Jackson Co. RWD #03	7M	87	104	94	96	98	96
Jamestown	7S	79	71	69	62	65	69
Jefferson Co. RWD #01	8M	105	103	92	87	87	95
Jefferson Co. RWD #02	8M	124	138	201	122	118	141
Jefferson Co. RWD #03	8M	103	113	94	88	87	97
Jefferson Co. RWD #07	8M	111	104	103	93	102	103
Jefferson Co. RWD #08	8S	78	78	76	78	76	77
Jefferson Co. RWD #09	8S	69	65	56	49	54	59
Jefferson Co. RWD #10	8S	75	77	74	87	na	78
Jefferson Co. RWD #11	8S	93	84	83	90	83	87
Jefferson Co. RWD #12	8M	106	102	91	72	80	90
Jefferson Co. RWD #13	8M	130	127	132	100	103	118
Jefferson Co. RWD #15	8S	52	59	41	41	41	47

TABLE 2 ANNUAL AND AVERAGE GPCD USAGE FOR PUBLIC WATER SUPPLIERS KANSAS, 2006-2010							
Public Water Supplier	**Region**	**2006 GPCD**	**2007 GPCD**	**2008 GPCD**	**2009 GPCD**	**2010 GPCD**	**AVG GPCD**
Jennings	3	233	200	206	158	171	194
Jetmore	4	181	185	178	171	175	178
Jewell	6S	100	77	67	69	75	78
Jewell Co. RWD #01	6S	155	165	177	182	151	166
Johnson City	1	337	336	360	313	339	337
Johnson Co. RWD #06C	8M	122	108	89	75	83	95
Johnson Co. RWD #07	8M	116	102	97	94	116	105
Junction City	7L	157	150	151	133	161	150
Kanopolis	6ML	96	91	101	85	102	95
Kanorado	1	221	209	190	121	151	178
Kansas City BPU	8L	183	204	187	171	165	182
Kechi	7M	na	87	na	na	na	87
Kensington	6ML	145	138	134	110	115	128
Kincaid	8S	53	52	na	74	na	60
Kingman	6ML	124	114	108	114	129	118
Kingman Co. RWD #01	6S	66	58	56	51	55	57
Kinsley	5	120	119	128	121	118	121
Kiowa	6ML	185	166	184	172	163	174
Kirwin	5	102	98	90	82	146	104
Kismet	2	174	165	163	141	182	165
Konza Valley Water District	7S	74	64	57	65	73	67
La Crosse	5	122	127	123	125	139	127
La Cygne	8M	113	96	82	68	73	86
La Harpe	8M	81	76	76	78	74	77
Labette Co. RWD #01	8S	128	113	98	98	105	108
Labette Co. RWD #02	8S	98	90	89	103	na	95
Labette Co. RWD #03	8S	98	81	66	73	80	80
Labette Co. RWD #04	8S	129	118	110	108	na	116
Labette Co. RWD #05	8M	92	84	na	na	na	88
Labette Co. RWD #06	8M	na	63	69	na	63	65
Labette Co. RWD #07	8M	86	63	60	63	68	68
Labette Co. RWD #08	8M	102	88	67	95	97	90
Lakeside Village Improvement	8S	123	152	177	143	118	143
Lakin	2	259	255	262	213	226	243
Lancaster	8S	64	66	61	60	56	61
Lane	8S	70	62	68	56	63	64
Lane Co. RWD #01	3	223	185	201	170	201	196
Lansing (Lan-Del WC)	8M	88	87	80	79	81	83
Larned	5	229	211	203	176	200	204
Latham	7S	86	80	64	64	64	72
Lawrence	8L	124	115	108	97	103	109
Leavenworth	8L	96	97	91	91	96	94
Leavenworth Co. RWD #01C	8M	88	95	78	78	89	86
Leavenworth Co. RWD #02	8M	96	99	98	86	87	93
Leavenworth Co. RWD #05	8M	87	85	82	84	101	88
Leavenworth Co. RWD #06	8S	83	90	90	78	80	84

TABLE 2 ANNUAL AND AVERAGE GPCD USAGE FOR PUBLIC WATER SUPPLIERS KANSAS, 2006-2010							
Public Water Supplier	**Region**	**2006 GPCD**	**2007 GPCD**	**2008 GPCD**	**2009 GPCD**	**2010 GPCD**	**AVG GPCD**
Leavenworth Co. RWD #07	8M	87	82	74	61	65	74
Leavenworth Co. RWD #08	8M	113	100	95	78	77	93
Leavenworth Co. RWD #09	8M	95	78	77	68	68	77
Leavenworth Co. RWD #10	8M	na	na	91	na	na	91
Lebanon	6S	111	91	84	90	80	91
Lebo	7M	80	71	67	69	67	71
Lecompton	8M	68	70	66	61	71	67
Lehigh	7S	99	69	78	76	108	86
Lenora	4	156	188	163	150	189	169
Leon	7M	99	99	85	97	110	98
Leonardville	7S	110	106	96	96	98	101
Leoti	2	269	234	241	193	235	234
LeRoy	7M	63	67	na	62	60	63
Lewis	5	158	117	138	114	136	133
Liberal	2	185	176	188	163	179	178
Liebenthal	5	77	75	78	66	63	72
Lincoln Center	6ML	149	141	138	142	136	141
Lindsborg	7M	122	103	103	102	108	108
Linn	7S	131	113	100	100	95	108
Linn Co. RWD #01	8M	110	117	91	98	113	106
Linn Co. RWD #02	8M	na	76	na	76	60	71
Linn Co. RWD #03	8M	na	92	na	93	110	98
Linwood	8S	68	69	64	65	68	67
Little Bear Mound	7S	na	143	142	99	na	128
Little River	6ML	171	136	119	142	158	145
Logan	5	186	172	173	134	167	166
Long Island	5	240	196	180	172	193	196
Longford	7S	87	76	72	71	83	78
Longton	7S	75	83	87	89	93	85
Lorraine	6S	109	180	89	85	85	110
Louisburg	8M	123	112	109	102	91	107
Lucas	6S	112	111	89	80	86	96
Luray	6S	87	80	77	86	86	83
Lyndon	7M	85	87	74	75	72	79
Lyon Co. RWD #01	7M	84	60	62	63	59	66
Lyon Co. RWD #02	7M	165	134	99	113	121	126
Lyon Co. RWD #03	7S	74	61	75	70	75	71
Lyon Co. RWD #04	7M	na	61	na	na	na	61
Lyon Co. RWD #05	7M	117	85	70	63	89	85
Lyons	6ML	197	189	180	161	173	180
Macksville	6S	172	122	132	133	140	140
Madison	7M	101	88	90	71	84	87
Mahaska	7S	155	182	126	137	129	146
Maize	7M	84	76	76	72	96	81
Manchester	7S	66	67	na	65	na	66
Manhattan	7L	145	141	129	127	133	135

TABLE 2 ANNUAL AND AVERAGE GPCD USAGE FOR PUBLIC WATER SUPPLIERS KANSAS, 2006-2010							
Public Water Supplier	**Region**	**2006 GPCD**	**2007 GPCD**	**2008 GPCD**	**2009 GPCD**	**2010 GPCD**	**AVG GPCD**
Mankato	6ML	174	171	170	205	189	182
Manter	1	382	261	245	222	219	266
Maple Hill	7M	91	88	86	81	83	86
Marion	7M	123	123	116	106	115	117
Marion Co. Imp. Dist. #02	7S	51	48	43	41	40	45
Marion Co. RWD #01	7M	93	101	79	77	82	86
Marion Co. RWD #02	8M	31	na	na	na	na	31
Marion Co. RWD #04	7M	105	80	75	68	76	81
Marquette	7M	117	107	102	107	116	110
Marshall Co. RWD #01	7S	89	90	87	96	88	90
Marshall Co. RWD #03	7M	99	104	115	103	104	105
Marysville	7M	143	164	125	119	109	132
Matfield Green	7S	93	76	62	95	66	78
Mayetta	7S	59	66	51	51	64	58
Mayfield	7S	65	64	na	na	69	66
McCracken	5	75	72	78	77	82	77
McCune	8S	77	69	68	68	69	70
McDonald	2	443	481	487	205	180	359
McFarland	7S	65	68	68	81	83	73
McLouth	8M	66	71	70	60	56	65
McPherson	7L	187	146	131	130	154	150
McPherson Co. RWD #01	7S	128	109	113	103	110	113
McPherson Co. RWD #02	7S	130	104	97	96	106	107
McPherson Co. RWD #03	7S	212	104	81	81	78	111
McPherson Co. RWD #04	7M	138	110	102	91	104	109
McPherson Co. RWD #06	7S	62	60	55	na	na	59
Meade	3	258	247	252	214	206	235
Medicine Lodge	6ML	227	201	199	164	179	194
Melvern	7S	86	78	73	78	77	78
Miami Co. RWD #01	8M	na	73	67	75	73	72
Miami Co. RWD #02	8M	96	88	108	95	98	97
Miami Co. RWD #03	8M	82	80	67	64	67	72
Miami Co. RWD #04	8M	75	na	66	65	79	71
Milford	7M	81	85	83	79	77	81
Miltonvale	7M	99	115	101	98	116	106
Minneapolis	7M	151	145	152	109	103	132
Minneola	4	201	205	206	174	184	194
Mitchell Co. RWD #02	6ML	279	215	190	193	197	215
Moline	7S	131	104	89	86	87	99
Montezuma	3	290	277	265	259	278	274
Montgomery Co. RWD #01	7S	na	104	98	93	101	99
Montgomery Co. RWD #01C	7M	77	na	62	72	na	70
Montgomery Co. RWD #02	7M	86	78	83	81	74	80
Montgomery Co. RWD #02C	7M	na	na	na	na	80	80
Montgomery Co. RWD #06	7M	104	95	88	101	107	99
Montgomery Co. RWD #08	7S	na	127	103	80	70	95

TABLE 2 ANNUAL AND AVERAGE GPCD USAGE FOR PUBLIC WATER SUPPLIERS KANSAS, 2006-2010							
Public Water Supplier	**Region**	**2006 GPCD**	**2007 GPCD**	**2008 GPCD**	**2009 GPCD**	**2010 GPCD**	**AVG GPCD**
Montgomery Co. RWD #12	7M	92	75	67	83	82	80
Montgomery Co. RWD #13	7S	82	78	na	60	60	70
Montgomery Co. RWD #14	7S	75	68	58	69	73	69
Moran	8M	99	87	83	84	83	87
Morganville	7S	125	122	104	82	91	105
Morland	4	243	216	222	177	255	223
Morrill	8S	59	81	85	60	78	73
Morris Co. RWD #01	7M	146	155	142	160	179	156
Morrowville	7S	93	89	77	80	88	85
Moscow	2	324	324	306	229	304	297
Mound City	8M	105	97	93	80	77	90
Mound Valley	8S	72	76	69	71	69	71
Moundridge	7M	178	117	116	116	148	135
Mount Hope	7M	129	122	104	108	122	117
Mulberry	8M	80	83	94	73	73	81
Mullinville	5	269	211	266	206	242	239
Mulvane	7M	90	88	81	81	82	84
Munden	7S	100	na	98	84	91	93
Muscotah	8S	69	120	92	55	63	80
Narka	7S	na	97	84	92	80	88
Natoma	6S	na	121	137	96	109	116
Nemaha Co. RWD #01	7S	186	129	208	105	117	149
Nemaha Co. RWD #02	7S	107	90	na	na	78	92
Nemaha Co. RWD #03	7M	130	108	102	94	114	110
Nemaha Co. RWD #04	7M	130	121	127	138	119	127
Neodesha	7M	135	145	118	120	100	124
Neosho Co. RWD #01C	8M	90	82	95	104	127	100
Neosho Co. RWD #02	8M	82	88	68	71	72	76
Neosho Co. RWD #03	8S	94	129	102	68	73	93
Neosho Co. RWD #04	8M	94	84	73	92	81	85
Neosho Co. RWD #05	8S	136	125	90	94	108	111
Neosho Co. RWD #06	8S	116	104	95	83	114	102
Neosho Co. RWD #07	8M	128	128	95	104	99	111
Neosho Co. RWD #08	8S	95	86	96	102	100	96
Neosho Co. RWD #09	8S	118	112	83	78	100	98
Neosho Co. RWD #12	8S	102	82	71	71	77	81
Ness City	4	139	131	147	132	161	142
Netawaka	7S	66	na	na	70	70	69
New Strawn	7S	86	96	86	89	81	88
Newton	7L	115	103	95	93	97	101
Nickerson	6ML	66	67	86	69	68	71
Norcatur	3	154	241	238	133	174	188
North Newton	7M	148	129	95	93	97	112
Norton	4	201	202	208	191	199	200
Norton Co. RWD #01	4	46	37	40	48	43	43
Nortonville	8M	84	85	78	80	76	81

TABLE 2 ANNUAL AND AVERAGE GPCD USAGE FOR PUBLIC WATER SUPPLIERS KANSAS, 2006-2010							
Public Water Supplier	**Region**	**2006 GPCD**	**2007 GPCD**	**2008 GPCD**	**2009 GPCD**	**2010 GPCD**	**AVG GPCD**
Norwich	6ML	108	92	83	82	92	91
Oakley	2	305	277	268	224	329	281
Oberlin	3	216	190	187	172	196	192
Offerle	5	182	152	101	135	158	146
Ogden	7M	127	109	95	84	75	98
Oketo	7S	62	69	94	82	80	77
Olathe	8L	101	94	96	114	128	107
Olmitz	6S	107	95	98	99	103	100
Olpe	7M	71	70	74	73	76	73
Olsburg	7S	82	73	70	65	72	72
Onaga	7M	108	106	96	99	84	99
Oneida	7S	77	65	77	86	67	74
Osage City	7M	93	95	93	90	89	92
Osage Co. RWD #02	7S	72	74	83	81	66	75
Osage Co. RWD #03	7M	100	100	95	83	100	96
Osage Co. RWD #04	7M	80	81	72	74	79	77
Osage Co. RWD #05	7M	95	86	87	82	96	89
Osage Co. RWD #06	7S	79	84	89	87	117	91
Osage Co. RWD #07	7M	97	83	85	90	91	89
Osage Co. RWD #08	7M	na	87	79	na	na	83
Osawatomie	8M	139	133	121	114	134	128
Osborne	6ML	188	157	159	136	124	153
Osborne Co. RWD #01A	6S	886	643	524	405	797	651
Osborne Co. RWD #02	6S	226	169	138	98	112	149
Oskaloosa	8M	83	84	82	75	74	80
Oswego	8M	101	94	88	84	86	91
Otis	5	234	204	184	136	152	182
Ottawa	8L	89	84	89	85	87	87
Ottawa Co. RWD #01	7S	82	88	85	87	108	90
Ottawa Co. RWD #02	7M	98	90	82	78	73	84
Overbrook	7M	92	102	69	77	66	81
Oxford	7M	106	96	100	78	84	93
Ozawkie	8M	90	86	71	79	88	83
Palco	5	148	140	118	106	126	128
Palmer	7S	122	113	117	139	122	123
Paola	8M	128	136	102	97	100	113
Paradise	6S	71	74	71	80	88	77
Park	3	202	212	170	152	156	178
Park City	7M	115	111	100	98	106	106
Parker	8S	60	60	50	50	53	55
Parsons	8L	130	118	119	113	123	121
Pawnee Rock	6S	64	75	93	85	64	76
Paxico	7S	91	84	78	70	70	79
Peabody	7M	75	80	101	93	94	89
Perry	8M	93	90	86	82	82	87
Peru	7S	56	55	63	63	64	60

TABLE 2 ANNUAL AND AVERAGE GPCD USAGE FOR PUBLIC WATER SUPPLIERS KANSAS, 2006-2010							
Public Water Supplier	**Region**	**2006 GPCD**	**2007 GPCD**	**2008 GPCD**	**2009 GPCD**	**2010 GPCD**	**AVG GPCD**
Phillips Co. RWD #01	5	na	na	na	63	66	65
Phillipsburg	5	185	195	130	121	114	149
Pittsburg	8L	118	111	112	106	112	112
Plains	3	286	277	286	249	258	271
Plainville	5	137	134	123	130	146	134
Pleasanton	8M	95	96	111	102	107	102
Pomona	8M	70	67	64	57	61	64
Portis	6S	105	90	93	79	82	90
Post Rock RWD	5	137	153	149	145	162	149
Pottawatomie Co. RWD #01	7M	128	111	118	121	103	116
Pottawatomie Co. RWD #02	7M	149	149	143	131	134	141
Pottawatomie Co. RWD #03	7M	100	103	89	92	85	94
Pottawatomie Co. RWD #04	7M	127	130	129	127	97	122
Potwin	7S	79	75	67	na	na	74
Prairie View	5	174	144	159	123	107	141
Pratt	6ML	217	184	192	187	203	197
Prescott	8S	70	63	69	64	68	67
Preston	6S	96	99	91	76	90	90
Pretty Prairie	6ML	141	130	125	136	129	132
Princeton	8S	72	67	61	63	na	66
Protection	5	219	176	180	194	175	189
Quenemo	7S	56	52	48	na	51	52
Quinter	3	259	235	208	184	206	218
Randall	6S	101	137	118	124	na	120
Randolph	7S	106	74	71	77	78	81
Ransom	4	144	88	110	108	128	116
Rantoul	8S	63	69	66	60	57	63
Raymond	6S	169	124	89	91	101	115
Reading	7S	66	65	66	na	na	66
Red Bud Lake Improvement	7S	33	68	61	47	36	49
Reno Co. RWD #01	6S	177	143	137	116	156	146
Reno Co. RWD #03	6S	140	116	210	238	198	180
Reno Co. RWD #04	6S	72	68	71	67	79	71
Reno Co. RWD #08	6S	186	144	146	148	161	157
Reno Co. WD #101	6S	116	111	105	125	127	117
Republic	7S	105	143	125	114	123	122
Republic Co. RWD #01	7S	242	333	327	269	266	287
Republic Co. RWD #02	7M	185	159	179	160	167	170
Reserve	8S	103	90	101	105	107	101
Rexford	2	466	463	456	292	287	393
Rice Co. RWD #01	6ML	123	122	168	na	109	131
Richmond	8S	85	73	75	75	77	77
Riley	7M	115	122	99	96	102	107
Riley Co. RWD #01	7M	124	107	94	105	na	108
Robinson	8S	100	95	93	109	94	98
Rocky Ford Water Company	7S	85	74	46	41	41	57

TABLE 2 ANNUAL AND AVERAGE GPCD USAGE FOR PUBLIC WATER SUPPLIERS KANSAS, 2006-2010							
Public Water Supplier	**Region**	**2006 GPCD**	**2007 GPCD**	**2008 GPCD**	**2009 GPCD**	**2010 GPCD**	**AVG GPCD**
Rolla	1	226	219	243	202	199	218
Rooks Co. RWD #01	5	104	107	70	73	71	85
Rooks Co. RWD #02	5	76	64	70	68	72	70
Rooks Co. RWD #03	5	164	136	137	130	132	140
Rose Hill	7M	79	74	70	68	77	74
Roseland	8S	na	na	na	na	60	60
Rossville	7M	90	86	83	78	86	85
Rozel	5	231	156	161	150	230	186
Rush Center	5	138	110	116	135	140	128
Rush Co. RWD #01	5	170	262	156	169	198	191
Russell	6ML	126	107	133	151	166	137
Russell Co. RWD #01	6S	135	149	140	116	152	138
Russell Co. RWD #02	6S	163	186	177	154	135	163
Russell Co. RWD #03	6ML	139	130	127	121	162	136
Russell Co. RWD #04	6S	136	120	119	161	154	138
Sabetha	7M	109	119	95	108	117	110
Salina	7L	126	116	109	110	121	116
Saline Co. RWD #01	7S	61	60	53	75	79	66
Saline Co. RWD #02	7S	112	124	116	118	97	113
Saline Co. RWD #03	7M	96	na	na	80	78	85
Saline Co. RWD #04	7M	104	87	91	84	95	92
Saline Co. RWD #06	7S	116	93	89	102	112	102
Saline Co. RWD #07	7S	79	71	60	70	72	70
Saline Co. RWD #08	7S	129	91	83	81	91	95
Satanta	2	257	238	259	220	225	240
Sawyer	6S	129	128	152	144	140	139
Scammon	8S	94	88	101	80	98	92
Scandia	7S	185	167	134	151	171	162
Scott City	2	301	258	258	216	230	253
Scranton	7M	65	64	64	na	60	63
Sedan	7M	92	94	81	73	89	86
Sedgwick	7M	73	69	71	72	76	72
Sedgwick Co. RWD #01	7M	83	74	63	65	78	73
Sedgwick Co. RWD #03	7M	80	77	73	72	77	76
Sedgwick Co. RWD #04	7M	78	96	91	79	80	85
Selden	3	236	245	198	202	292	235
Seneca	7M	172	168	119	118	150	145
Severy	7S	161	108	78	80	72	100
Sharon	6S	144	143	136	120	130	135
Sharon Springs	1	282	263	264	224	255	258
Shawnee Co. RWD #01C	7M	79	77	69	79	83	77
Shawnee Co. RWD #02C	7M	84	87	82	83	85	84
Shawnee Co. RWD #03C	7M	116	106	99	94	97	102
Shawnee Co. RWD #04C	7L	85	86	80	92	98	88
Shawnee Co. RWD #08	7M	93	87	89	91	92	90
Silver Lake	7M	89	83	80	72	73	79

TABLE 2 ANNUAL AND AVERAGE GPCD USAGE FOR PUBLIC WATER SUPPLIERS KANSAS, 2006-2010							
Public Water Supplier	**Region**	**2006 GPCD**	**2007 GPCD**	**2008 GPCD**	**2009 GPCD**	**2010 GPCD**	**AVG GPCD**
Simmons Subdivision	7S	na	na	na	72	74	73
Simpson	6S	90	83	111	140	94	104
Smith Center	6ML	149	138	146	162	158	151
Smith Co. RWD #01	6S	175	154	134	178	196	167
Soldier	7S	61	61	62	63	55	60
Solomon	7M	119	109	104	89	90	102
South Haven	7S	129	115	110	97	101	110
South Hutchinson	6ML	174	156	130	155	151	153
Spearville	4	162	133	123	128	131	135
Speed	5	104	99	89	129	87	102
Spivey	6S	128	127	140	165	119	136
Spring Hill	8M	69	90	79	74	88	80
St. Francis	1	284	310	274	232	287	277
St. George	7M	87	75	77	87	75	80
St. John	6ML	154	136	135	123	154	140
St. Marys	7M	114	102	98	98	91	101
St. Paul	8M	110	86	90	89	96	94
Stafford	6ML	141	133	118	114	121	125
Sterling	6ML	101	92	82	82	95	90
Stockton	5	124	149	114	98	101	117
Strong City	7M	121	129	87	96	102	107
Sublette	2	265	274	248	220	276	257
Suburban Water Company	8M	95	92	89	71	82	86
Summerfield	7S	113	91	82	102	90	96
Sumner Co. RWD #01	7S	110	114	145	134	93	119
Sumner Co. RWD #02	7S	105	117	110	131	103	113
Sumner Co. RWD #03	7S	na	83	79	80	93	84
Sumner Co. RWD #04	7M	106	107	93	90	90	97
Sumner Co. RWD #05	7M	116	136	na	109	87	112
Sumner Co. RWD #06	7S	93	91	84	86	95	90
Susank	6S	94	89	na	na	91	91
Sylvan Grove	6S	143	126	109	113	102	119
Sylvia	6S	121	105	97	93	87	101
Syracuse	1	348	346	377	349	379	360
Tescott	7S	95	105	95	96	95	97
Thayer	8S	146	132	na	122	107	127
Timber Creek Water & Sewe	7M	153	132	125	111	125	129
Timken	5	124	125	69	47	59	85
Tipton	6S	111	102	115	104	95	105
Tonganoxie	8M	89	88	80	80	82	84
Topeka	7L	131	138	129	120	129	129
Toronto	7S	69	88	98	87	89	86
Towanda	7M	89	na	na	na	na	89
Treece	8S	70	na	84	90	na	81
Trego Co. RWD #01	4	93	71	81	67	116	86
Trego Co. RWD #02	4	117	90	101	114	129	110

TABLE 2 ANNUAL AND AVERAGE GPCD USAGE FOR PUBLIC WATER SUPPLIERS KANSAS, 2006-2010							
Public Water Supplier	**Region**	**2006 GPCD**	**2007 GPCD**	**2008 GPCD**	**2009 GPCD**	**2010 GPCD**	**AVG GPCD**
Tribune	1	295	282	321	288	314	300
Troy	8M	121	112	91	107	109	108
Turon	6S	109	102	101	96	114	104
Udall	7M	94	78	84	83	96	87
Ulysses	2	251	224	253	240	255	245
Uniontown	8S	91	82	80	84	99	87
University Park Water	7S	66	54	47	45	46	52
Utica	4	227	153	175	176	214	189
Valley Center	7M	84	74	83	80	100	84
Valley Falls	8M	117	107	115	114	127	116
Vermillion	7S	140	127	120	110	100	119
Victoria	5	116	107	107	95	105	106
Viola	7S	65	67	58	58	85	67
Virgil	7S	52	49	45	47	50	49
Wabaunsee Co. RWD #01	7S	79	77	90	91	96	87
Wabaunsee Co. RWD #02	7M	102	87	87	81	85	88
WaKeeney	4	218	189	199	172	178	191
Wakefield	7M	110	137	112	100	125	117
Waldo	6S	58	80	64	79	62	69
Wallace	1	356	244	220	203	250	255
Wallace Co. RWD #01	1	366	334	335	224	303	312
Walton	7S	73	74	67	na	na	71
Wamego	7M	121	118	109	94	107	110
Washington	7M	147	139	134	134	137	138
Washington Co. RWD #01	7M	91	92	88	95	84	90
Washington Co. RWD #02	7M	103	128	144	121	155	130
WaterOne - Johnson Co.	8L	173	155	145	139	146	152
Waterville	7M	155	144	125	126	121	134
Wathena	8M	96	112	103	99	104	103
Waverly	7M	76	78	75	72	77	76
Weir	8M	72	69	73	68	70	70
Wellington	7M	131	124	125	130	141	130
Wellsville	8M	78	74	70	67	63	70
West Hills Water Company	6S	317	296	233	226	440	302
West Mineral	8S	64	59	52	64	53	58
Westmoreland	7M	88	86	87	76	79	83
Wetmore	7S	80	79	81	82	84	81
White City	7M	95	94	96	76	77	88
White Cloud	8S	82	82	79	71	71	77
Whitewater	7M	99	83	80	77	74	83
Whiting	7S	85	63	64	68	62	68
Wichita	7L	155	141	130	126	133	137
Williamsburg	8S	90	80	74	71	72	77
Willis	8S	na	na	na	118	131	125
Wilsey	7S	54	55	54	60	62	57
Wilson	6ML	155	108	104	106	110	117

TABLE 2 ANNUAL AND AVERAGE GPCD USAGE FOR PUBLIC WATER SUPPLIERS KANSAS, 2006-2010							
Public Water Supplier	**Region**	**2006 GPCD**	**2007 GPCD**	**2008 GPCD**	**2009 GPCD**	**2010 GPCD**	**AVG GPCD**
Wilson Co. RWD #01	7S	136	119	na	na	87	114
Wilson Co. RWD #02	7S	95	58	na	na	60	71
Wilson Co. RWD #03	7S	na	na	61	61	45	56
Wilson Co. RWD #04	7S	99	83	90	97	na	92
Wilson Co. RWD #05	7S	45	53	49	44	33	45
Wilson Co. RWD #06	7S	99	109	95	99	84	97
Wilson Co. RWD #09	7S	na	67	na	na	na	67
Wilson Co. RWD #11	7M	76	64	67	78	73	72
Wilson Co. RWD #12	7S	61	68	65	65	63	64
Wilson Co. RWD #13	7S	86	75	na	70	68	75
Winchester	8M	80	90	78	81	74	81
Windom	7S	100	96	83	92	92	93
Winfield	7L	143	129	128	124	143	133
Winona	2	338	324	306	295	278	308
Woodbine	7S	na	na	na	na	58	58
Woodson Co. RWD #01	7M	75	73	63	66	60	67
Woodston	5	174	222	255	250	157	212
Yates Center	7M	118	114	101	100	105	108
Zenda	6S	146	121	122	109	124	124

Note: GPCD figures are based on reported water sold to residential and commercial customers, metered free uses, and unaccounted for water. If insufficient information was provided to determine GPCD, or if no water use report was filed, "na" is shown.

TABLE 3
ANNUAL AND AVERAGE PERCENT UNACCOUNTED FOR WATER (UFW)
FOR PUBLIC WATER SUPPLIERS
KANSAS, 2006-2010

Public Water Supplier	Region	2006 Percent UFW	2007 Percent UFW	2008 Percent UFW	2009 Percent UFW	2010 Percent UFW	AVG Percent UFW
Abbyville	6S	21	17	36	10	9	19
Abilene	7M	12	18	13	15	18	15
Admire	7S	16	19	20	16	22	19
Agenda	7S	12	3	13	na	4	8
Agra	5	30	17	15	10	11	17
Albert	6S	10	5	7	11	8	8
Alexander	5	12	11	6	4	20	11
Allen	7S	7	9	10	9	4	8
Allen Co. RWD #01	8S	100	na	na	na	na	100
Allen Co. RWD #02	8S	na	na	19	na	na	19
Allen Co. RWD #04	8S	na	3	na	4	na	4
Allen Co. RWD #08	8M	19	23	28	28	6	21
Allen Co. RWD #09	8S	na	100	100	na	na	100
Allen Co. RWD #10	8S	10	12	14	27	na	16
Allen Co. RWD #11	8S	8	na	17	8	33	17
Allen Co. RWD #12	8S	na	na	na	na	na	na
Allen Co. RWD #13	8S	17	20	29	37	43	29
Allen Co. RWD #15	8S	8	na	na	na	6	7
Allen Co. RWD #16	8S	100	100	100	100	100	100
Alma	7M	7	na	12	5	5	7
Almena	4	18	14	39	46	8	25
Alta Vista	7S	7	9	10	9	11	9
Altamont	8M	4	7	5	na	na	5
Alton	6S	10	7	10	16	34	15
Altoona	7S	10	12	10	10	na	11
Andale	7M	6	5	6	4	8	6
Anderson Co. RWD #01	8S	6	7	13	6	11	9
Anderson Co. RWD #01C	8M	13	15	24	23	24	20
Anderson Co. RWD #04	8M	14	21	22	18	16	18
Anderson Co. RWD #05	8M	15	14	na	24	20	18
Anthony	6ML	15	21	11	11	17	15
Arcadia	8S	11	7	15	15	17	13
Argonia	7M	8	8	5	4	5	6
Arkansas City	7L	17	23	28	28	28	25
Arlington	6S	7	5	7	4	6	6
Arma	8M	6	8	9	10	6	8
Arnold	4	100	100	100	100	100	100
Ashland	4	6	5	9	17	20	11
Assaria	7M	na	5	4	3	29	10
Atchison	8L	24	29	17	31	28	26
Atchison Co. RWD #01	8M	na	23	na	25	na	24
Atchison Co. RWD #03	8S	17	na	na	na	na	17
Atchison Co. RWD #05C	8M	12	14	27	na	na	18
Atchison Co. RWD #06	8M	na	na	na	na	16	16
Atlanta	7S	12	26	22	11	18	18

TABLE 3
ANNUAL AND AVERAGE PERCENT UNACCOUNTED FOR WATER (UFW)
FOR PUBLIC WATER SUPPLIERS
KANSAS, 2006-2010

Public Water Supplier	Region	2006 Percent UFW	2007 Percent UFW	2008 Percent UFW	2009 Percent UFW	2010 Percent UFW	AVG Percent UFW
Attica	6ML	5	9	33	41	45	27
Atwood	2	8	6	10	13	10	9
Augusta	7M	21	22	36	30	23	26
Aurora	7S	11	10	6	na	na	9
Axtell	7S	4	4	11	7	6	6
Baldwin	8M	17	13	8	21	22	16
Barber Co. RWD #01	6S	100	100	100	100	100	100
Barber Co. RWD #02	6S	na	na	na	na	32	32
Barber Co. RWD #03	6S	11	19	23	30	17	20
Barnard	6S	14	15	9	15	5	12
Barnes	7S	23	34	27	40	30	31
Bartlett	8S	na	16	na	na	10	13
Barton Co. RWD #01	6S	12	12	23	11	20	16
Barton Co. RWD #02	6ML	48	na	na	na	na	48
Barton Hills WD	6S	8	8	7	6	6	7
Baxter Springs	8M	33	31	28	29	31	30
Bazine	4	8	10	11	12	16	11
Beattie	7S	26	19	26	25	13	22
Bel Aire	7M	3	4	6	na	na	4
Belle Plaine	7M	13	15	17	14	12	14
Belleville	7M	11	9	10	9	6	9
Beloit	6ML	8	8	11	9	9	9
Belpre	5	20	17	29	29	25	24
Belvidere	5	100	100	100	100	100	100
Belvue	7S	13	7	10	4	12	9
Bennington	7M	5	4	4	7	na	5
Benton	7M	4	10	na	8	10	8
Bern	7S	6	5	9	10	12	8
Beverly	6S	12	19	na	na	na	16
Bird City	1	42	39	24	41	25	34
Bison	5	22	na	16	21	11	18
Blue Mound	8S	9	8	12	9	10	10
Blue Rapids	7M	17	26	19	20	29	22
Blue River Hills Improvement	7S	100	100	100	100	100	100
Bluff City	6S	18	23	14	32	11	20
Bogue	4	10	9	10	10	8	9
Bonner Springs	8M	23	23	22	26	25	24
Bourbon Co. RWD #02C	8M	14	11	15	24	30	19
Bourbon Co. RWD #04	8M	11	13	11	14	23	14
Brewster	2	3	12	4	4	4	5
Bronson	8S	11	12	11	11	13	12
Brown Co. RWD #01	8M	21	21	20	18	29	22
Brown Co. RWD #02	8M	13	7	9	10	21	12
Brownell	4	8	13	10	16	8	11
Bucklin	4	21	15	18	31	14	20

TABLE 3
ANNUAL AND AVERAGE PERCENT UNACCOUNTED FOR WATER (UFW)
FOR PUBLIC WATER SUPPLIERS
KANSAS, 2006-2010

Public Water Supplier	Region	2006 Percent UFW	2007 Percent UFW	2008 Percent UFW	2009 Percent UFW	2010 Percent UFW	AVG Percent UFW
Buffalo	7S	3	18	23	25	16	17
Buhler	6ML	8	6	4	na	na	6
Bunker Hill	6S	12	7	10	9	10	10
Burden	7M	7	7	9	7	8	8
Burdett	5	10	20	41	19	28	24
Burlingame	7M	18	24	7	na	6	14
Burlington	7M	12	14	7	10	13	11
Burns	7S	na	5	na	na	na	5
Burr Oak	6S	16	15	24	25	20	20
Burrton	7M	6	11	4	8	9	8
Bushton	6S	13	14	14	16	13	14
Butler Co. RWD #01	7M	11	17	23	15	12	16
Butler Co. RWD #02	7M	12	47	5	6	22	18
Butler Co. RWD #03	7M	10	15	12	15	22	15
Butler Co. RWD #04	7M	7	na	na	na	na	7
Butler Co. RWD #05	7M	23	8	9	11	8	12
Butler Co. RWD #06	7M	11	11	23	14	15	15
Butler Co. RWD #07	7M	7	7	11	6	9	8
Butler Co. RWD #08	7M	12	12	10	6	14	11
Byron	7S	100	100	100	100	100	100
Caldwell	7M	14	14	18	21	27	19
Cambridge	7S	na	6	6	18	5	9
Caney	7M	29	24	24	22	29	26
Canton	7M	na	na	na	na	5	5
Carbondale	7M	6	17	16	27	17	17
Cassoday	7S	10	9	8	16	16	12
Cawker City	6S	29	33	25	na	10	24
Cedar Point	7S	14	25	29	25	7	20
Cedar Vale	7M	28	20	17	14	na	20
Centralia	7M	4	na	4	na	na	4
Chanute	8M	12	12	11	10	10	11
Chapman	7M	4	8	8	15	6	8
Chase	6S	14	18	12	22	14	16
Chase Co. RWD #01	7S	12	19	na	37	na	23
Chautauqua	7S	21	na	na	na	12	17
Chautauqua Co. RWD #01	7S	na	na	na	na	na	na
Chautauqua Co. RWD #02	7S	26	28	20	20	17	22
Chautauqua Co. RWD #03	7S	20	13	na	na	25	19
Cheney	7M	4	9	10	8	6	7
Cherokee	8M	16	7	5	12	11	10
Cherokee Co. RWD #01	8M	32	37	40	31	30	34
Cherokee Co. RWD #02	8M	27	18	20	14	17	19
Cherokee Co. RWD #03	8M	24	39	49	40	49	40
Cherokee Co. RWD #04	8M	24	29	30	29	43	31
Cherokee Co. RWD #05	8S	12	11	13	8	13	11

TABLE 3
ANNUAL AND AVERAGE PERCENT UNACCOUNTED FOR WATER (UFW)
FOR PUBLIC WATER SUPPLIERS
KANSAS, 2006-2010

Public Water Supplier	Region	2006 Percent UFW	2007 Percent UFW	2008 Percent UFW	2009 Percent UFW	2010 Percent UFW	AVG Percent UFW
Cherokee Co. RWD #06	8S	na	na	na	9	3	6
Cherokee Co. RWD #07	8S	12	39	41	37	37	33
Cherokee Co. RWD #08	8M	15	13	13	13	16	14
Cherryvale	7M	18	23	18	18	23	20
Chetopa	8M	9	4	23	11	17	13
Chicopee Rural Water	8S	na	35	14	10	8	17
Cimarron	3	10	9	12	11	8	10
Circleville	7S	9	21	24	23	11	18
Claflin	6ML	12	25	20	20	22	20
Clay Center	7M	5	10	8	6	6	7
Clay Co. RWD #01	7S	4	13	25	21	28	18
Clay Co. RWD #02	7M	14	9	11	12	16	12
Clayton	4	na	na	na	5	na	5
Clearwater	7M	13	12	15	13	15	14
Clifton	7M	12	13	13	17	10	13
Cloud Co. RWD #01	7S	17	36	31	32	21	27
Clyde	7M	11	8	15	10	20	13
Coal Hollow WD	8S	na	100	100	na	na	100
Coats	6S	7	15	10	11	10	11
Coffey Co. RWD #02	7M	11	13	13	28	15	16
Coffey Co. RWD #03	7M	4	6	9	5	11	7
Coffeyville	7L	24	23	15	9	17	18
Colby	2	20	21	23	23	18	21
Coldwater	5	na	na	7	22	5	11
Collyer	4	16	10	na	9	4	10
Colony	8S	19	6	9	4	5	9
Columbus	8M	26	26	15	21	16	21
Colwich	7M	3	na	na	na	na	3
Comanche Co. RWD #01	5	16	12	23	19	30	20
Comanche Co. RWD #02	5	40	52	45	63	58	52
Concordia	7M	5	11	12	20	10	12
Conway Springs	7M	14	22	15	19	12	16
Coolidge	1	24	16	28	5	30	21
Copeland	3	58	59	59	58	59	59
Corning	7S	na	na	na	na	na	na
Cottonwood Falls	7M	5	4	3	10	20	8
Council Grove	7M	13	13	14	10	9	12
Courtland	7S	22	8	11	8	7	11
Cowley Co. RWD #01	7M	8	6	4	6	6	6
Cowley Co. RWD #02	7M	11	8	9	7	6	8
Cowley Co. RWD #03	7M	14	16	30	18	15	19
Cowley Co. RWD #04	7M	7	10	19	13	21	14
Cowley Co. RWD #05	7M	na	20	21	25	38	26
Cowley Co. RWD #06	7M	16	18	30	17	14	19
Cowley Co. RWD #07	7S	33	46	38	33	41	38

TABLE 3
ANNUAL AND AVERAGE PERCENT UNACCOUNTED FOR WATER (UFW)
FOR PUBLIC WATER SUPPLIERS
KANSAS, 2006-2010

Public Water Supplier	Region	2006 Percent UFW	2007 Percent UFW	2008 Percent UFW	2009 Percent UFW	2010 Percent UFW	AVG Percent UFW
Cowley Co. RWD #08	7S	na	na	na	na	na	na
Crawford Co. RWD #01	8M	29	na	16	10	34	22
Crawford Co. RWD #01C	8M	15	16	17	21	20	18
Crawford Co. RWD #03	8S	13	15	20	14	9	14
Crawford Co. RWD #04	8M	14	19	21	24	21	20
Crawford Co. RWD #05	8M	29	34	38	43	49	39
Crawford Co. RWD #06	8M	13	18	19	23	22	19
Crawford Co. RWD #07	8S	7	16	23	5	5	11
Cuba	7S	12	21	22	22	15	18
Cullison	6S	22	20	25	25	34	25
Culver	7S	15	11	15	15	17	15
Cunningham	6S	15	9	8	11	20	13
Damar	5	na	na	na	na	15	15
Dearing	7S	na	na	5	na	12	9
Deerfield	2	6	5	11	6	18	9
Delia	7S	100	100	100	100	na	100
Delphos	7S	28	30	30	34	30	30
Denison	8S	6	8	5	4	na	6
Derby (El Paso Water Co.)	7L	na	na	na	na	4	4
DeSoto	8M	47	54	36	46	50	47
Dexter	7S	3	10	9	9	13	9
Dickinson Co. RWD #01	7M	25	47	32	22	45	34
Dickinson Co. RWD #02	7M	24	27	28	21	29	26
Dighton	3	8	12	12	12	9	11
Dodge City	4	14	13	19	10	6	12
Doniphan Co. RWD #01	8S	36	18	27	34	23	28
Doniphan Co. RWD #02	8S	16	15	26	29	27	23
Doniphan Co. RWD #03	8S	25	8	8	23	18	16
Doniphan Co. RWD #05	8M	na	na	na	21	21	21
Dorrance	6S	44	17	13	13	8	19
Douglas Co. RWD #01	8M	21	17	21	13	17	18
Douglas Co. RWD #02	8M	18	23	17	24	11	19
Douglas Co. RWD #03	7M	21	20	28	22	16	21
Douglas Co. RWD #04	8M	21	21	22	22	23	22
Douglas Co. RWD #05	8M	6	5	3	13	15	8
Douglas Co. RWD #06	8M	12	na	4	na	na	8
Douglass	7M	7	13	12	11	13	11
Downs	6ML	14	22	12	21	28	19
Durham	7S	16	10	9	9	26	14
Dwight	7S	na	na	7	13	13	11
Easton	8S	14	12	10	5	23	13
Edgerton	8M	8	6	8	3	7	6
Edna	8S	11	11	na	13	6	10
Effingham	8M	na	3	na	na	12	8
El Dorado	7L	na	na	5	3	na	4

TABLE 3
ANNUAL AND AVERAGE PERCENT UNACCOUNTED FOR WATER (UFW)
FOR PUBLIC WATER SUPPLIERS
KANSAS, 2006-2010

Public Water Supplier	Region	2006 Percent UFW	2007 Percent UFW	2008 Percent UFW	2009 Percent UFW	2010 Percent UFW	AVG Percent UFW
Elbing	7S	5	7	7	6	5	6
Elgin	7S	60	58	51	54	64	57
Elk City	7S	24	16	18	19	7	17
Elk Co. RWD #01	7S	na	30	34	na	32	32
Elkhart	1	na	20	13	20	21	19
Ellinwood	6ML	4	5	3	4	4	4
Ellis	5	7	5	8	10	11	8
Ellis Co. RWD #01	5	8	10	14	6	26	13
Ellis Co. RWD #01C	5	4	na	na	na	na	4
Ellis Co. RWD #03	5	14	4	7	100	100	45
Ellis Co. RWD #06	5	15	15	19	18	18	17
Ellsworth	6ML	18	17	17	17	14	17
Elmdale	7S	25	30	52	28	23	32
Elwood	8M	9	8	10	11	8	9
Emmett	7S	30	na	21	17	13	20
Emporia	7L	16	18	21	18	12	17
Englewood	4	95	97	97	95	93	95
Ensign	3	3	8	5	4	3	5
Enterprise	7M	15	12	11	13	18	14
Erie	8M	10	11	21	15	13	14
Esbon	6S	27	10	14	26	23	20
Eskridge	7M	6	4	4	3	6	5
Eudora	8M	7	6	7	7	6	7
Eureka	7M	6	9	12	11	12	10
Everest	8S	22	25	27	25	46	29
Fall River	7S	19	18	22	22	12	19
Farr Subdivision	2	100	100	100	100	100	100
Finney Co. RWD #01	2	na	na	na	5	5	5
Florence	7M	na	8	18	15	31	18
Fontana	8S	14	na	18	20	15	17
Ford	4	89	100	98	99	100	97
Formoso	6S	14	17	16	13	12	14
Fort Scott	8M	23	27	32	9	19	22
Fowler	3	9	11	11	3	5	8
Frankfort	7M	17	16	21	13	20	17
Franklin Co. RWD #01	8M	5	7	na	na	na	6
Franklin Co. RWD #03	8S	14	6	10	15	9	11
Franklin Co. RWD #04	8M	15	13	17	17	24	17
Franklin Co. RWD #05	8M	18	16	10	14	11	14
Franklin Co. RWD #06	8M	16	15	14	18	21	17
Fredonia	7M	8	15	7	8	na	10
Frontenac	8M	9	13	23	16	8	14
Fulton	8S	22	21	14	11	11	16
Galena	8M	20	20	19	21	14	19
Galesburg	8S	15	13	27	26	23	21

TABLE 3
ANNUAL AND AVERAGE PERCENT UNACCOUNTED FOR WATER (UFW)
FOR PUBLIC WATER SUPPLIERS
KANSAS, 2006-2010

Public Water Supplier	Region	2006 Percent UFW	2007 Percent UFW	2008 Percent UFW	2009 Percent UFW	2010 Percent UFW	AVG Percent UFW
Galva	7M	6	13	5	5	4	7
Garden City	2	8	4	na	3	na	5
Garden Plain	7M	8	4	3	3	13	6
Garden Spot Rentals	2	100	100	100	100	100	100
Gardner	8L	14	16	18	14	15	15
Garnett	8M	10	13	14	11	7	11
Gas	8M	4	4	na	6	9	6
Gaylord	6S	37	48	16	5	8	23
Geary Co. RWD #01	7S	na	na	na	na	na	na
Geary Co. RWD #02	7S	100	100	100	100	100	100
Geary Co. RWD #04	7M	na	5	4	3	5	4
Geneseo	6S	18	33	18	8	14	18
Geuda Springs	7S	11	11	11	15	15	13
Girard	8M	15	16	18	11	14	15
Glade	5	29	50	38	48	42	41
Glasco	7S	22	7	8	11	10	12
Glen Elder	6S	13	12	13	9	12	12
Goddard	7M	3	na	na	4	na	4
Goessel	7M	13	22	22	21	14	18
Goff	7S	7	5	12	7	na	8
Goodland	1	26	25	25	27	24	25
Gorham	6S	10	19	19	7	5	12
Gove	3	31	23	45	26	10	27
Grainfield	3	9	5	11	21	16	12
Grandview Plaza	7M	12	15	11	12	13	13
Great Bend	6ML	19	25	24	18	12	20
Greeley	8S	6	na	na	4	4	5
Green	7S	10	16	17	29	29	20
Greenleaf	7S	14	18	13	17	15	15
Greensburg	5	17	12	16	17	18	16
Greenwood Co. RWD #01	7M	36	31	32	20	32	30
Greenwood Co. RWD #02	7M	15	16	19	19	20	18
Greenwood Co. RWD #03	7S	12	13	25	14	24	18
Grenola	7S	13	18	17	9	13	14
Gridley	7S	16	17	13	6	16	14
Grinnell	3	5	na	7	7	4	6
Gypsum	7S	4	na	3	10	8	6
Haddam	7S	17	30	30	31	23	26
Halstead	7M	9	15	14	13	12	13
Hamilton	7S	na	9	17	15	15	14
Hamilton Co. RWD #01	1	36	7	8	4	na	14
Hanover	7M	18	13	17	na	na	16
Hanston	4	14	17	10	16	17	15
Hardtner	6S	8	10	4	38	35	19
Harper	6ML	13	11	7	11	9	10

TABLE 3
ANNUAL AND AVERAGE PERCENT UNACCOUNTED FOR WATER (UFW)
FOR PUBLIC WATER SUPPLIERS
KANSAS, 2006-2010

Public Water Supplier	Region	2006 Percent UFW	2007 Percent UFW	2008 Percent UFW	2009 Percent UFW	2010 Percent UFW	AVG Percent UFW
Harper Co. RWD #04	6S	10	20	43	54	54	36
Harper Co. RWD #05	6S	19	30	na	16	na	22
Hartford	7M	23	26	28	19	15	22
Harvey Co. RWD #01	7M	9	12	21	13	17	14
Harveyville	7S	15	10	10	7	5	9
Haven	6ML	24	29	27	24	23	25
Haviland	5	14	14	13	13	14	14
Hays	5	10	9	11	7	7	9
Hays City Suburban	5	100	100	100	100	100	100
Haysville	7L	14	11	11	9	14	12
Hazelton	6S	7	12	40	26	45	26
Herington	7M	18	6	20	12	19	15
Herndon	2	23	24	12	40	49	30
Hesston	7M	3	4	15	16	15	11
Hiawatha	8M	5	5	6	8	6	6
Highland	8M	18	17	11	15	14	15
Hill City	4	20	19	18	27	24	22
Hillsboro	7M	12	18	5	8	na	11
Hoisington	6ML	8	14	21	22	20	17
Holcomb	2	10	12	9	7	11	10
Holton	7M	16	6	16	14	11	13
Holyrood	6S	9	3	7	8	6	7
Hope	7S	13	3	3	na	5	6
Horace	1	4	8	9	10	16	9
Horton	8M	7	9	6	5	11	8
Howard	7M	3	6	6	7	5	5
Howison Heights WD	7S	na	6	20	19	26	18
Hoxie	3	13	11	15	13	7	12
Hoyt	7M	9	4	4	5	7	6
Hugoton	2	7	7	7	6	8	7
Humboldt	8M	15	15	14	17	24	17
Hunter	6S	17	19	16	na	na	17
Hutchinson	6ML	9	9	8	14	13	11
Independence	7L	29	22	27	19	26	25
Ingalls	3	27	18	na	na	na	23
Inman	7M	7	7	6	7	6	7
Iola	8M	11	21	17	21	18	18
Isabel	6S	15	14	4	na	12	11
Iuka	6S	5	4	4	5	6	5
Jackson Co. RWD #01	7M	20	18	20	10	na	17
Jackson Co. RWD #03	7M	17	21	17	17	16	18
Jamestown	7S	7	na	13	17	20	14
Jefferson Co. RWD #01	8M	13	25	20	13	12	17
Jefferson Co. RWD #02	8M	25	36	56	37	30	37
Jefferson Co. RWD #03	8M	23	54	27	26	28	32

TABLE 3
ANNUAL AND AVERAGE PERCENT UNACCOUNTED FOR WATER (UFW)
FOR PUBLIC WATER SUPPLIERS
KANSAS, 2006-2010

Public Water Supplier	Region	2006 Percent UFW	2007 Percent UFW	2008 Percent UFW	2009 Percent UFW	2010 Percent UFW	AVG Percent UFW
Jefferson Co. RWD #07	8M	19	21	27	25	26	24
Jefferson Co. RWD #08	8S	7	7	10	21	3	10
Jefferson Co. RWD #09	8S	21	29	22	20	na	23
Jefferson Co. RWD #10	8S	20	17	24	40	na	25
Jefferson Co. RWD #11	8S	16	19	15	13	10	15
Jefferson Co. RWD #12	8M	14	11	11	13	5	11
Jefferson Co. RWD #13	8M	28	27	44	32	20	30
Jefferson Co. RWD #15	8S	9	14	4	4	4	7
Jennings	3	28	24	36	30	29	29
Jetmore	4	13	11	7	20	9	12
Jewell	6S	26	10	6	8	17	13
Jewell Co. RWD #01	6S	15	19	27	26	28	23
Johnson City	1	15	17	13	11	11	13
Johnson Co. RWD #06C	8M	16	17	12	4	5	11
Johnson Co. RWD #07	8M	14	9	na	na	23	15
Junction City	7L	17	21	25	18	17	20
Kanopolis	6ML	9	13	25	18	31	19
Kanorado	1	13	22	8	12	15	14
Kansas City BPU	8L	23	17	20	17	19	19
Kechi	7M	na	5	na	na	na	5
Kensington	6ML	21	23	26	20	10	20
Kincaid	8S	5	3	na	15	na	8
Kingman	6ML	12	10	9	9	11	10
Kingman Co. RWD #01	6S	18	20	20	24	34	23
Kinsley	5	17	19	22	19	12	18
Kiowa	6ML	13	14	18	15	11	14
Kirwin	5	16	22	20	17	43	24
Kismet	2	27	22	28	24	34	27
Konza Valley Water District	7S	8	9	3	10	14	9
La Crosse	5	12	19	23	20	19	19
La Cygne	8M	9	6	6	na	3	6
La Harpe	8M	20	7	4	12	9	10
Labette Co. RWD #01	8S	9	17	19	17	23	17
Labette Co. RWD #02	8S	12	18	37	36	na	26
Labette Co. RWD #03	8S	12	8	11	17	14	12
Labette Co. RWD #04	8S	na	20	20	8	na	16
Labette Co. RWD #05	8M	4	4	na	na	na	4
Labette Co. RWD #06	8M	na	na	na	na	na	na
Labette Co. RWD #07	8M	15	11	12	14	13	13
Labette Co. RWD #08	8M	17	26	100	24	32	40
Lakeside Village Improvement	8S	43	62	68	60	59	58
Lakin	2	11	6	7	8	10	8
Lancaster	8S	na	na	na	na	na	na
Lane	8S	25	11	24	7	18	17
Lane Co. RWD #01	3	12	19	19	14	14	16

TABLE 3 ANNUAL AND AVERAGE PERCENT UNACCOUNTED FOR WATER (UFW) FOR PUBLIC WATER SUPPLIERS KANSAS, 2006-2010							
Public Water Supplier	**Region**	**2006 Percent UFW**	**2007 Percent UFW**	**2008 Percent UFW**	**2009 Percent UFW**	**2010 Percent UFW**	**AVG Percent UFW**
Lansing (Lan-Del WC)	8M	5	6	6	na	7	6
Larned	5	10	16	17	14	15	14
Latham	7S	6	13	8	9	9	9
Lawrence	8L	na	3	5	4	na	4
Leavenworth	8L	10	11	10	11	15	11
Leavenworth Co. RWD #01C	8M	3	8	6	9	17	9
Leavenworth Co. RWD #02	8M	33	36	38	28	36	34
Leavenworth Co. RWD #05	8M	7	8	9	12	26	12
Leavenworth Co. RWD #06	8S	10	9	16	13	12	12
Leavenworth Co. RWD #07	8M	11	9	7	10	4	8
Leavenworth Co. RWD #08	8M	19	20	26	17	7	18
Leavenworth Co. RWD #09	8M	18	20	13	10	15	15
Leavenworth Co. RWD #10	8M	na	na	16	na	na	16
Lebanon	6S	8	8	19	16	11	12
Lebo	7M	3	4	4	4	5	4
Lecompton	8M	4	13	11	11	21	12
Lehigh	7S	6	na	na	18	na	12
Lenora	4	19	18	19	34	35	25
Leon	7M	16	19	21	30	25	22
Leonardville	7S	13	11	9	11	7	10
Leoti	2	na	13	na	na	5	9
LeRoy	7M	11	na	na	7	9	9
Lewis	5	na	8	5	7	3	6
Liberal	2	13	9	9	8	9	10
Liebenthal	5	9	5	10	11	12	9
Lincoln Center	6ML	25	28	27	30	18	26
Lindsborg	7M	11	8	14	13	13	12
Linn	7S	4	5	7	5	7	6
Linn Co. RWD #01	8M	14	21	14	25	26	20
Linn Co. RWD #02	8M	na	27	na	34	22	28
Linn Co. RWD #03	8M	na	26	na	31	39	32
Linwood	8S	9	10	17	20	19	15
Little Bear Mound	7S	na	100	100	100	na	100
Little River	6ML	9	12	9	15	18	13
Logan	5	10	10	23	30	23	19
Long Island	5	3	14	na	na	na	37
Longford	7S	6	7	na	na	3	5
Longton	7S	7	19	23	29	27	21
Lorraine	6S	11	61	7	3	5	17
Louisburg	8M	4	6	10	9	6	7
Lucas	6S	6	28	12	10	na	14
Luray	6S	7	10	6	11	na	9
Lyndon	7M	16	23	12	17	12	16
Lyon Co. RWD #01	7M	na	na	na	na	na	na
Lyon Co. RWD #02	7M	7	4	4	18	7	8

TABLE 3
ANNUAL AND AVERAGE PERCENT UNACCOUNTED FOR WATER (UFW)
FOR PUBLIC WATER SUPPLIERS
KANSAS, 2006-2010

Public Water Supplier	Region	2006 Percent UFW	2007 Percent UFW	2008 Percent UFW	2009 Percent UFW	2010 Percent UFW	AVG Percent UFW
Lyon Co. RWD #03	7S	9	9	17	12	14	12
Lyon Co. RWD #04	7M	na	3	na	na	na	3
Lyon Co. RWD #05	7M	9	14	4	4	13	9
Lyons	6ML	7	11	10	16	13	11
Macksville	6S	8	13	18	18	16	15
Madison	7M	24	15	19	11	16	17
Mahaska	7S	5	5	3	5	na	5
Maize	7M	14	9	7	5	28	13
Manchester	7S	14	14	na	31	na	20
Manhattan	7L	10	9	11	13	13	11
Mankato	6ML	17	26	35	31	25	27
Manter	1	48	28	12	19	21	26
Maple Hill	7M	8	6	7	8	9	8
Marion	7M	15	19	na	9	4	12
Marion Co. Imp. Dist. #02	7S	na	na	4	4	4	4
Marion Co. RWD #01	7M	12	9	16	17	17	14
Marion Co. RWD #02	8M	na	na	na	na	na	na
Marion Co. RWD #04	7M	21	11	13	10	8	13
Marquette	7M	7	4	7	7	10	7
Marshall Co. RWD #01	7S	8	12	14	13	6	11
Marshall Co. RWD #03	7M	10	15	17	14	17	15
Marysville	7M	17	31	17	15	19	20
Matfield Green	7S	28	20	24	50	27	30
Mayetta	7S	na	7	3	10	5	6
Mayfield	7S	na	na	na	na	na	na
McCracken	5	na	na	3	na	3	3
McCune	8S	5	20	13	20	na	15
McDonald	2	42	50	44	40	18	39
McFarland	7S	7	10	17	23	25	16
McLouth	8M	12	12	11	14	12	12
McPherson	7L	5	7	6	7	6	6
McPherson Co. RWD #01	7S	8	na	12	na	na	10
McPherson Co. RWD #02	7S	9	4	na	3	4	5
McPherson Co. RWD #03	7S	na	na	na	100	na	100
McPherson Co. RWD #04	7M	5	6	17	7	11	9
McPherson Co. RWD #06	7S	5	9	8	na	na	7
Meade	3	14	13	20	20	22	18
Medicine Lodge	6ML	15	28	31	15	15	21
Melvern	7S	23	11	9	20	16	16
Miami Co. RWD #01	8M	na	11	16	15	17	15
Miami Co. RWD #02	8M	10	9	10	9	4	8
Miami Co. RWD #03	8M	20	19	9	6	13	13
Miami Co. RWD #04	8M	11	na	15	12	12	13
Milford	7M	7	11	8	5	8	8
Miltonvale	7M	10	25	18	18	14	17

TABLE 3
ANNUAL AND AVERAGE PERCENT UNACCOUNTED FOR WATER (UFW)
FOR PUBLIC WATER SUPPLIERS
KANSAS, 2006-2010

Public Water Supplier	Region	2006 Percent UFW	2007 Percent UFW	2008 Percent UFW	2009 Percent UFW	2010 Percent UFW	AVG Percent UFW
Minneapolis	7M	18	24	5	11	9	13
Minneola	4	6	12	16	17	15	13
Mitchell Co. RWD #02	6ML	17	9	12	13	13	13
Moline	7S	15	13	7	8	10	11
Montezuma	3	11	13	9	13	13	12
Montgomery Co. RWD #01	7S	na	na	na	na	na	na
Montgomery Co. RWD #01C	7M	10	na	17	13	na	13
Montgomery Co. RWD #02	7M	10	13	7	5	4	8
Montgomery Co. RWD #02C	7M	na	na	na	na	12	12
Montgomery Co. RWD #06	7M	16	20	20	25	27	22
Montgomery Co. RWD #08	7S	na	44	37	26	18	31
Montgomery Co. RWD #12	7M	17	21	16	28	14	19
Montgomery Co. RWD #13	7S	19	28	na	13	14	19
Montgomery Co. RWD #14	7S	22	22	16	20	10	18
Moran	8M	13	10	4	5	7	8
Morganville	7S	na	na	na	na	na	na
Morland	4	14	9	10	9	8	10
Morrill	8S	6	28	25	4	14	15
Morris Co. RWD #01	7M	na	7	12	5	16	10
Morrowville	7S	8	16	16	11	15	13
Moscow	2	15	9	15	19	23	16
Mound City	8M	12	na	na	na	na	12
Mound Valley	8S	3	8	5	3	na	5
Moundridge	7M	5	na	na	na	6	6
Mount Hope	7M	9	9	8	12	24	12
Mulberry	8M	21	24	38	23	21	25
Mullinville	5	29	21	25	16	24	23
Mulvane	7M	10	12	11	10	9	10
Munden	7S	3	na	24	10	12	12
Muscotah	8S	20	56	36	10	na	31
Narka	7S	na	20	na	28	27	25
Natoma	6S	na	34	17	19	15	21
Nemaha Co. RWD #01	7S	15	12	23	7	7	13
Nemaha Co. RWD #02	7S	7	7	na	na	3	6
Nemaha Co. RWD #03	7M	8	7	7	6	10	8
Nemaha Co. RWD #04	7M	19	17	19	22	6	17
Neodesha	7M	8	13	7	11	na	10
Neosho Co. RWD #01C	8M	na	na	6	28	40	25
Neosho Co. RWD #02	8M	12	26	14	18	25	19
Neosho Co. RWD #03	8S	na	36	40	11	9	24
Neosho Co. RWD #04	8M	20	23	12	30	21	21
Neosho Co. RWD #05	8S	48	26	na	28	41	36
Neosho Co. RWD #06	8S	16	19	34	20	41	26
Neosho Co. RWD #07	8M	12	33	25	33	23	25
Neosho Co. RWD #08	8S	8	8	5	7	7	7

TABLE 3
ANNUAL AND AVERAGE PERCENT UNACCOUNTED FOR WATER (UFW)
FOR PUBLIC WATER SUPPLIERS
KANSAS, 2006-2010

Public Water Supplier	Region	2006 Percent UFW	2007 Percent UFW	2008 Percent UFW	2009 Percent UFW	2010 Percent UFW	AVG Percent UFW
Neosho Co. RWD #09	8S	20	22	11	21	33	21
Neosho Co. RWD #12	8S	8	9	10	7	12	9
Ness City	4	5	na	13	4	12	9
Netawaka	7S	na	na	na	23	8	16
New Strawn	7S	10	15	3	9	11	10
Newton	7L	10	8	9	12	14	11
Nickerson	6ML	12	7	37	31	25	22
Norcatur	3	na	9	6	6	24	11
North Newton	7M	20	23	10	15	8	15
Norton	4	13	16	17	19	16	16
Norton Co. RWD #01	4	9	11	9	11	9	10
Nortonville	8M	6	8	10	7	5	7
Norwich	6ML	18	14	9	12	10	13
Oakley	2	15	13	15	16	36	19
Oberlin	3	9	11	9	10	5	9
Offerle	5	8	5	7	14	19	11
Ogden	7M	8	7	7	7	3	6
Oketo	7S	7	20	16	na	na	14
Olathe	8L	13	13	12	15	17	14
Olmitz	6S	19	21	14	15	20	18
Olpe	7M	na	na	na	na	3	3
Olsburg	7S	15	5	5	na	7	8
Onaga	7M	10	5	6	8	5	7
Oneida	7S	12	13	13	13	7	12
Osage City	7M	8	8	12	11	11	10
Osage Co. RWD #02	7S	3	12	13	15	10	11
Osage Co. RWD #03	7M	11	17	14	7	6	11
Osage Co. RWD #04	7M	14	17	17	17	16	16
Osage Co. RWD #05	7M	17	17	21	18	19	18
Osage Co. RWD #06	7S	14	18	16	29	46	25
Osage Co. RWD #07	7M	18	20	26	26	30	24
Osage Co. RWD #08	7M	na	22	20	na	na	21
Osawatomie	8M	15	17	17	9	6	13
Osborne	6ML	14	13	21	14	13	15
Osborne Co. RWD #01A	6S	60	50	33	54	48	49
Osborne Co. RWD #02	6S	na	6	22	11	8	12
Oskaloosa	8M	na	na	10	10	3	8
Oswego	8M	10	4	na	na	4	6
Otis	5	14	12	11	7	8	10
Ottawa	8L	12	12	20	17	17	16
Ottawa Co. RWD #01	7S	25	3	38	na	46	28
Ottawa Co. RWD #02	7M	14	15	12	14	7	12
Overbrook	7M	25	29	6	15	3	16
Oxford	7M	15	14	24	3	15	14
Ozawkie	8M	16	14	14	12	18	15

TABLE 3
ANNUAL AND AVERAGE PERCENT UNACCOUNTED FOR WATER (UFW)
FOR PUBLIC WATER SUPPLIERS
KANSAS, 2006-2010

Public Water Supplier	**Region**	**2006 Percent UFW**	**2007 Percent UFW**	**2008 Percent UFW**	**2009 Percent UFW**	**2010 Percent UFW**	**AVG Percent UFW**
Palco	5	11	27	10	13	18	16
Palmer	7S	7	9	8	12	12	10
Paola	8M	9	15	12	14	15	13
Paradise	6S	13	13	13	18	17	15
Park	3	12	3	3	25	32	15
Park City	7M	3	8	8	7	6	6
Parker	8S	22	20	18	12	8	16
Parsons	8L	3	11	8	3	10	7
Pawnee Rock	6S	7	15	14	14	10	12
Paxico	7S	7	na	na	na	na	7
Peabody	7M	na	13	7	17	26	16
Perry	8M	17	15	15	10	7	13
Peru	7S	5	9	8	5	8	7
Phillips Co. RWD #01	5	na	na	na	13	14	14
Phillipsburg	5	18	9	6	8	11	10
Pittsburg	8L	8	6	12	15	15	11
Plains	3	13	15	17	15	18	16
Plainville	5	15	15	11	17	18	15
Pleasanton	8M	12	16	18	14	17	15
Pomona	8M	11	na	7	3	5	7
Portis	6S	21	16	14	16	26	19
Post Rock RWD	5	12	10	24	17	26	18
Pottawatomie Co. RWD #01	7M	9	na	na	na	18	14
Pottawatomie Co. RWD #02	7M	29	31	35	35	32	32
Pottawatomie Co. RWD #03	7M	15	20	16	15	14	16
Pottawatomie Co. RWD #04	7M	na	11	9	12	4	9
Potwin	7S	na	7	7	na	na	7
Prairie View	5	20	6	13	28	18	17
Pratt	6ML	11	6	15	10	15	11
Prescott	8S	8	na	7	10	na	8
Preston	6S	10	15	na	8	39	18
Pretty Prairie	6ML	18	5	9	10	13	11
Princeton	8S	13	9	9	11	na	11
Protection	5	15	15	18	26	9	17
Quenemo	7S	7	na	9	na	12	9
Quinter	3	10	18	15	15	9	13
Randall	6S	17	12	12	11	na	13
Randolph	7S	8	12	5	15	8	10
Ransom	4	13	na	na	5	5	8
Rantoul	8S	3	8	7	6	5	6
Raymond	6S	5	10	10	5	na	8
Reading	7S	12	na	na	na	na	12
Red Bud Lake Improvement	7S	11	47	16	5	5	17
Reno Co. RWD #01	6S	4	na	6	5	na	5
Reno Co. RWD #03	6S	16	14	18	22	27	19

TABLE 3
ANNUAL AND AVERAGE PERCENT UNACCOUNTED FOR WATER (UFW)
FOR PUBLIC WATER SUPPLIERS
KANSAS, 2006-2010

Public Water Supplier	**Region**	**2006 Percent UFW**	**2007 Percent UFW**	**2008 Percent UFW**	**2009 Percent UFW**	**2010 Percent UFW**	**AVG Percent UFW**
Reno Co. RWD #04	6S	na	9	4	na	3	5
Reno Co. RWD #08	6S	15	9	10	25	11	14
Reno Co. WD #101	6S	na	5	5	13	13	9
Republic	7S	13	17	24	23	21	20
Republic Co. RWD #01	7S	26	34	40	39	38	35
Republic Co. RWD #02	7M	10	27	28	30	29	25
Reserve	8S	43	30	41	50	36	40
Rexford	2	4	4	10	9	9	7
Rice Co. RWD #01	6ML	3	15	27	na	9	14
Richmond	8S	16	9	14	13	14	13
Riley	7M	19	30	30	28	28	27
Riley Co. RWD #01	7M	5	6	5	na	na	5
Robinson	8S	14	20	19	26	17	19
Rocky Ford Water Company	7S	100	100	100	100	100	100
Rolla	1	7	9	6	6	9	7
Rooks Co. RWD #01	5	5	5	na	na	na	5
Rooks Co. RWD #02	5	13	10	16	13	10	12
Rooks Co. RWD #03	5	16	12	19	17	18	16
Rose Hill	7M	na	3	3	na	5	4
Roseland	8S	na	na	na	na	na	#DIV/0!
Rossville	7M	10	11	13	8	6	10
Rozel	5	16	13	14	7	27	15
Rush Center	5	10	na	11	12	10	11
Rush Co. RWD #01	5	16	24	17	16	15	18
Russell	6ML	13	7	21	24	27	18
Russell Co. RWD #01	6S	8	21	18	19	15	16
Russell Co. RWD #02	6S	100	100	100	100	100	100
Russell Co. RWD #03	6ML	20	23	14	19	25	20
Russell Co. RWD #04	6S	6	18	27	4	19	15
Sabetha	7M	5	6	3	6	8	6
Salina	7L	14	11	12	11	14	12
Saline Co. RWD #01	7S	10	15	na	8	na	11
Saline Co. RWD #02	7S	9	27	17	27	9	18
Saline Co. RWD #03	7M	13	na	na	5	14	11
Saline Co. RWD #04	7M	24	19	17	8	20	18
Saline Co. RWD #06	7S	12	10	10	13	14	12
Saline Co. RWD #07	7S	11	7	4	18	17	11
Saline Co. RWD #08	7S	37	13	15	17	11	19
Satanta	2	6	4	14	10	8	8
Sawyer	6S	6	6	5	8	6	6
Scammon	8S	15	14	23	24	23	20
Scandia	7S	28	7	22	11	16	17
Scott City	2	9	9	9	7	3	7
Scranton	7M	11	10	15	na	12	12
Sedan	7M	14	16	15	15	4	13

TABLE 3 ANNUAL AND AVERAGE PERCENT UNACCOUNTED FOR WATER (UFW) FOR PUBLIC WATER SUPPLIERS KANSAS, 2006-2010							
Public Water Supplier	**Region**	**2006 Percent UFW**	**2007 Percent UFW**	**2008 Percent UFW**	**2009 Percent UFW**	**2010 Percent UFW**	**AVG Percent UFW**
Sedgwick	7M	na	na	4	3	9	5
Sedgwick Co. RWD #01	7M	4	9	na	6	12	8
Sedgwick Co. RWD #03	7M	na	na	na	na	na	na
Sedgwick Co. RWD #04	7M	11	20	39	22	4	19
Selden	3	6	8	7	28	27	15
Seneca	7M	5	7	na	3	4	5
Severy	7S	14	17	22	21	30	21
Sharon	6S	23	18	15	15	16	17
Sharon Springs	1	18	15	12	10	11	13
Shawnee Co. RWD #01C	7M	na	6	na	6	6	6
Shawnee Co. RWD #02C	7M	14	20	12	17	19	16
Shawnee Co. RWD #03C	7M	na	na	na	na	3	3
Shawnee Co. RWD #04C	7L	13	14	14	14	12	13
Shawnee Co. RWD #08	7M	14	13	16	18	13	15
Silver Lake	7M	4	8	4	10	4	6
Simmons Subdivision Sanitation	7S	na	na	na	21	na	21
Simpson	6S	19	17	47	52	31	33
Smith Center	6ML	23	23	34	31	26	27
Smith Co. RWD #01	6S	11	7	9	12	14	11
Soldier	7S	4	8	3	na	7	6
Solomon	7M	16	13	16	4	na	12
South Haven	7S	16	13	16	6	17	14
South Hutchinson	6ML	14	11	6	7	8	9
Spearville	4	9	9	6	13	8	9
Speed	5	na	3	15	46	10	19
Spivey	6S	31	34	39	32	5	28
Spring Hill	8M	14	5	7	12	11	10
St. Francis	1	4	10	7	8	13	8
St. George	7M	14	8	9	20	17	14
St. John	6ML	17	16	21	19	27	20
St. Marys	7M	6	3	5	8	6	6
St. Paul	8M	4	7	15	na	8	9
Stafford	6ML	3	6	5	6	na	5
Sterling	6ML	4	na	6	4	12	7
Stockton	5	16	9	25	14	10	15
Strong City	7M	na	na	6	na	na	6
Sublette	2	12	9	8	9	8	9
Suburban Water Company	8M	10	10	11	na	5	9
Summerfield	7S	7	7	6	4	8	6
Sumner Co. RWD #01	7S	na	14	31	28	na	24
Sumner Co. RWD #02	7S	7	8	8	29	14	13
Sumner Co. RWD #03	7S	na	na	na	na	10	10
Sumner Co. RWD #04	7M	20	32	31	32	41	31
Sumner Co. RWD #05	7M	8	15	na	4	17	11
Sumner Co. RWD #06	7S	8	9	4	8	9	8

TABLE 3 ANNUAL AND AVERAGE PERCENT UNACCOUNTED FOR WATER (UFW) FOR PUBLIC WATER SUPPLIERS KANSAS, 2006-2010							
Public Water Supplier	**Region**	**2006 Percent UFW**	**2007 Percent UFW**	**2008 Percent UFW**	**2009 Percent UFW**	**2010 Percent UFW**	**AVG Percent UFW**
Susank	6S	19	12	na	na	17	16
Sylvan Grove	6S	6	6	11	6	10	8
Sylvia	6S	21	26	23	25	22	23
Syracuse	1	5	5	6	8	8	6
Tescott	7S	12	18	12	15	10	13
Thayer	8S	na	8	na	9	5	7
Timber Creek Water & Sewer	7M	16	12	17	15	11	14
Timken	5	6	3	21	8	4	8
Tipton	6S	6	11	na	na	9	9
Tonganoxie	8M	14	16	13	13	15	14
Topeka	7L	7	16	9	10	12	11
Toronto	7S	na	12	13	14	14	13
Towanda	7M	8	na	na	na	na	8
Treece	8S	13	na	21	24	na	19
Trego Co. RWD #01	4	4	5	6	4	7	5
Trego Co. RWD #02	4	23	16	11	13	12	15
Tribune	1	10	9	13	13	17	12
Troy	8M	17	8	4	5	6	8
Turon	6S	7	10	10	12	20	12
Udall	7M	17	na	18	16	27	20
Ulysses	2	9	5	6	6	6	6
Uniontown	8S	15	14	15	13	17	15
University Park Water	7S	4	6	4	4	na	5
Utica	4	6	8	4	20	11	10
Valley Center	7M	na	4	13	10	10	9
Valley Falls	8M	17	16	21	15	18	17
Vermillion	7S	na	na	5	na	6	6
Victoria	5	12	18	22	18	16	17
Viola	7S	8	13	9	9	10	10
Virgil	7S	8	13	13	9	22	13
Wabaunsee Co. RWD #01	7S	15	13	17	16	17	16
Wabaunsee Co. RWD #02	7M	13	12	11	11	10	11
WaKeeney	4	13	16	11	17	8	13
Wakefield	7M	10	24	15	21	25	19
Waldo	6S	na	na	9	25	na	17
Wallace	1	na	3	na	na	6	5
Wallace Co. RWD #01	1	5	6	5	3	6	5
Walton	7S	na	na	19	na	na	19
Wamego	7M	6	7	5	8	6	6
Washington	7M	24	24	12	24	17	20
Washington Co. RWD #01	7M	4	9	9	13	7	8
Washington Co. RWD #02	7S	14	22	17	20	28	20
WaterOne - Johnson Co.	8L	10	9	13	14	12	12
Waterville	7M	4	9	8	10	5	7
Wathena	8M	19	29	30	28	27	27

TABLE 3
ANNUAL AND AVERAGE PERCENT UNACCOUNTED FOR WATER (UFW)
FOR PUBLIC WATER SUPPLIERS
KANSAS, 2006-2010

Public Water Supplier	Region	2006 Percent UFW	2007 Percent UFW	2008 Percent UFW	2009 Percent UFW	2010 Percent UFW	AVG Percent UFW
Waverly	7M	7	8	6	11	12	9
Weir	8M	na	5	12	15	15	12
Wellington	7M	8	3	11	16	19	11
Wellsville	8M	na	5	10	7	na	7
West Hills Water Company	6S	100	100	100	100	na	100
West Mineral	8S	13	14	10	12	na	12
Westmoreland	7M	7	13	7	9	10	9
Wetmore	7S	13	13	18	19	17	16
White City	7M	20	20	37	19	na	24
White Cloud	8S	17	16	16	32	31	22
Whitewater	7M	4	7	5	4	3	5
Whiting	7S	16	23	11	14	11	15
Wichita	7L	8	4	8	8	7	7
Williamsburg	8S	100	100	16	4	4	45
Willis	8S	na	na	na	16	41	29
Wilsey	7S	14	4	4	6	na	7
Wilson	6ML	24	12	13	14	14	15
Wilson Co. RWD #01	7S	26	24	na	na	12	21
Wilson Co. RWD #02	7S	100	100	na	na	28	76
Wilson Co. RWD #03	7S	na	na	100	100	100	100
Wilson Co. RWD #04	7S	10	8	19	22	na	15
Wilson Co. RWD #05	7S	16	33	29	29	12	24
Wilson Co. RWD #06	7S	18	19	16	32	13	20
Wilson Co. RWD #09	7S	na	19	na	na	na	19
Wilson Co. RWD #11	7M	27	25	28	44	47	34
Wilson Co. RWD #12	7S	na	7	11	10	9	9
Wilson Co. RWD #13	7S	22	28	na	13	23	22
Winchester	8M	5	4	9	12	13	9
Windom	7S	na	11	13	16	21	15
Winfield	7L	11	14	11	13	7	11
Winona	2	14	20	16	5	16	14
Woodbine	7S	na	na	na	na	3	3
Woodson Co. RWD #01	7M	14	15	14	15	14	14
Woodston	5	8	26	25	24	9	18
Yates Center	7M	13	15	11	8	8	11
Zenda	6S	18	36	19	19	21	23

Note: Percent unaccounted for water represents all unmetered usage divided by total water produced or purchased. If insufficient information was provided to determine the percent unaccounted for water, or if no water use report was filed, "na" is shown.

Figure 1
Regions Used for Gallons Per Capita Per Day (GPCD) Analysis